

Whirlpool AKR 749/1 IX Pusiebūvētais (izvelkams) Pelēks 304 m³/h

Zīmols : Whirlpool

Preces kods: 859991551230


Modeļa nosaukums : AKR 749/1 IX

Whirlpool AKR 749/1 IX. Maksimālā izplešanas jauda: 304 m³/h, Izplešanas tips: Vilkmes/Recirkulācijas, Šķidrumu dinamikas efektivitātes klase: E. Tips: Pusiebūvētais (izvelkams), Produkta krāsa: Pelēks, Apvalka materiāls: Nerūsējošs tērauds. Tauku filtra tips: Alumīnijs. Lampas jauda: 2,5 W, Spuldžu skaits: 2 spuldze(-s), Spuldzes tips: LED. Energoefektivitātes klase: D, Gada enerģijas patēriņš: 61,6 kWh, Energoefektivitātes skala: A+++ līdz D



Darbības rādītāji		Apgaismojums	
Maksimālā izplešanas jauda *	304 m³/h	Lampas jauda	2,5 W
Izplešanas tips *	Vilkmes/Recirkulācijas	Spuldžu skaits	2 spuldze(-s)
Šķidrumu dinamikas efektivitātes klase *	E	Spuldzes tips	LED
Apgaismojuma efektivitātes klase *	D	Apgaismojuma efektivitāte (LE)	12,1 lux/W
Tauku filtrēšanas efektivitātes klase *	D	Enerģijas pārvaldība	
Maksimālā recirkulācijas jauda	125 m³/h	Energoefektivitātes klase *	D
Ātrumu skaits *	3	Energoefektivitātes skala	A+++ līdz D
Pastiprinātā režīma funkcija	✗	Savienotā slodze	121 W
Trokšņu līmenis *	62 dB	Motora jauda	116 W
Trokšņa līmenis (neliels ātrums)	46 dB	Gada enerģijas patēriņš *	61,6 kWh
Trokšņa līmenis (ātrgaitas)	62 dB	Maiņstrāvas ievades spriegums	220 -240 V
Gaisa plūsma (neliels ātrums)	125 m³/h	Maiņstrāvas ievades frekvence	50 - 60 Hz
Dizains		Strāva	0,5 A
Tips *	Pusiebūvētais (izvelkams)	Energoefektivitātes klase (vecā)	D
Produkta krāsa *	Pelēks	Svars&dimensijas	
Apvalka materiāls	Nerūsējošs tērauds	Platums *	599 mm
Taimeris	✓	Dziļums	300 mm
Kontroles tips	Pogas	Augstums	180 mm
Auklas garums	1,5 m	Augstums bez skursteņa	21,1 cm
Iebūvēta displeja *	✗	Svars	6 kg
Izplūdes gāzu caurules diametrs	12 cm	Informācija par iepakojumu	
Motoru skaits	1	Iepakojuma platums	354 mm
Motors iekļauts	✓	Iepakojuma dziļums	241 mm
		Iepakojuma augstums	634 mm
		Iepakojuma svars	7,24 kg
Filtrēšana		Papildus informācija	
Tauku filtra tips *	Alumīnijs	Elektroniskā vadība	✗
Smaku kontroles filtrs	✗		

Filtrēšana		Papildus informācija	
Mazgājams filtrs	✓	Tauku filtrēšanas efektivitāte (GFE)	66%
		Šķidruma dinamiskā efektivitāte (FDE)	10,2



8003437233678

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.