

GENESIS Irid 503 V2 Micro Tower Черный

Производитель : GENESIS
Семейство продуктов: Irid
Код товара: NPC-1558
Модель : Irid 503 V2

GENESIS Irid 503 V2. Формат: Micro Tower, Тип: ПК, Цвет товара: Черный. Расположение блока питания: Низ. Установленные вентиляторы (передняя панель): 1x 120 mm, Поддерживаемые диаметры вентиляторов (передняя панель): 120,140 mm, Установленные вентиляторы (задняя панель): 1x 120 mm. Поддерживаемые размеры жесткого диска: 2.5,3.5". Ширина: 210 mm, Глубина: 430 mm, Высота: 430 mm



Дизайн		Порты и интерфейсы	
Материал	АБС-пластик, Сетка, Стальной, Закаленное стекло	Количество портов USB 3.2 Gen 1 (3.1 Gen 1) Type-A *	1
Формат *	Micro Tower	Охлаждение	
Тип *	ПК	Установленные вентиляторы (передняя панель)	1x 120 mm
Цвет товара *	Черный	Максимальное количество вентиляторов (передняя панель)	3
Поддерживаемые форм-факторы материнской платы *	Микро ATX, Mini-ITX	Поддерживаемые диаметры вентиляторов (передняя панель)	120,140 mm
Количество 3.5" отсеков *	2	Установленные вентиляторы (задняя панель)	1x 120 mm
Количество 2.5" слотов	3	Максимальное количество вентиляторов (задняя панель)	1
Количество внутреннего резервного пространства 3,5"	2	Поддерживаемые диаметры вентиляторов (задняя панель)	120 mm
Количество расширительных разъемов	4	Максимальное количество вентиляторов (верхняя панель)	2
Боквое окно	✓	Поддерживаемые диаметры вентиляторов (верхняя панель)	120,140 mm
Подходит для	Игровой	Максимальный воздушный поток	46,1 cfm
Панель(и) из закаленного стекла	✓	возможность жидкостного охлаждения	✓
Анти-пылевой фильтр	✓	Поддерживаемые размеры переднего радиатора	120,140,240 mm
Усовершенствованное управление кабелями	✓	Поддерживаются верхние размеры радиаторов	120,140,240 mm
Кнопка сброса установок	✓		
Кнопка включения/выключения	✓		
Максимальная высота кулера процессора	16,3 cm		
Максимальная длина графического адаптера	37,5 cm		

Дизайн		Устройства хранения данных	
Максимальная длина блока питания	19 cm	Поддерживаемые размеры жесткого диска *	2.5,3.5"
Блок питания		Вес и размеры	
Блок питания в комплекте *	✗	Ширина	210 mm
Расположение блока питания	Низ	Глубина	430 mm
Порты и интерфейсы		Высота	430 mm
Вход аудио	✓	Вес	5,8 kg
Выход аудио	✓		
Количество портов USB 2.0 *	2		



5901969425291

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.