



TP-Link Archer AX1500 bezvadu rūteris Tīkls Gigabit Ethernet Divkāršā frekvenču josla (2.4 GHz / 5 GHz) Melns

Zīmols : TP-Link

Preces kods: ARCHER AX1500

Modeļa nosaukums : Archer AX1500

TP-Link Archer AX1500. Wi-Fi josla: Divkāršā frekvenču josla (2.4 GHz / 5 GHz), Wi-Fi standarts: Wi-Fi 6 (802.11ax), WLAN datu pārraides ātrums (maks.): 1201 Mbit/s. Ethernet LAN saskarnes tips: Tīkls Gigabit Ethernet, VPN serveris: OpenVPN, PPTP. Drošības algoritma atbalstīts: WEP, WPA, WPA2. Produkta veids: Galda rūteris, Produkta krāsa: Melns. Pievienoti kabelji: AC, LAN (RJ-45)



WAN savienojums		Drošība	
Ethernet WAN *	✓	piekļuves vadības saraksts (ACL)	✓
DSL WAN *	✗	Vecākvadība	✓
SIM kartes slots *	✗	URL filtrēšana	✓
3G/4G USB modema saderība *	✗	DMZ atbalsts	✓
Bezvadu LAN īpašības		Protokoli	
Wi-Fi josla *	Divkāršā frekvenču josla (2.4 GHz / 5 GHz)	DHCP klients	✓
Wi-Fi standarts *	Wi-Fi 6 (802.11ax)	DHCP serveris	✓
WLAN datu pārraides ātrums (maks.) *	1201 Mbit/s	Universal Plug and Play (UPnP)	✓
Wi-Fi standartu	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Dizains	
WLAN datu pārraides ātrums (pirmā josla)	1201 Mbit/s	Produkta krāsa	Melns
WLAN datu pārraides ātrums (otrā josla)	300 Mbit/s	Integrēts on/off slēdzis	✓
Tīklošana		Produkta veids *	Galda rūteris
Ethernet/LAN savienojums *	✓	Iepakojuma saturs	
Ethernet LAN saskarnes tips *	Tīkls Gigabit Ethernet	Pievienoti kabelji	AC, LAN (RJ-45)
Portu pāradresācija	✓	AC adapteris komplektā	✓
Porta nostrāde	✓	Ātrās instalācijas gids	✓
Dinamiskais DNS (DDNS)	✓	Antena	
VPN serveris	OpenVPN, PPTP	Antenas forma *	Ārējs
Mobilā tīkla savienojamība		Antenu daudzums	4
3G	✗	Energijas pārvaldība	
4G	✗	Barošanas avota veids *	AC
		Izejas spriegums	12 V
		Izejas strāva	1 A

Savienojamība		Ārējās vides apstākļi	
Ethernet LAN (RJ-45) pieslēgvietu skaits *	4	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Vadības īpašības		Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Atiestates poga	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
WPS poga	✓	Uzglabāšanas relatīvā mitruma amplitūda	5 - 90%
MU-MIMO tehnoloģija	✓	Svars&dimensijas	
Drošība		Platums	260,2 mm
Drošības algoritma atbalstīts	WEP, WPA, WPA2	Dziļums	135 mm
Firewall	✓	Augstums	38,6 mm



6935364085193

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.