



## i-tec C31DUALPDOCKPD100W dokstacija Vadu USB 3.2 Gen 1 (3.1 Gen 1) Type-C Melns

**Zīmols :** i-tec

**Preces kods:** C31DUALPDOCKPD100W

**Modeļa nosaukums :** C31DUALPDOCKPD100W

i-tec C31DUALPDOCKPD100W. Savienojamības tehnoloģija: Vadu, Saimnieka interfeiss: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB barošana līdz: 100 W. Ethernet LAN datu pārsūtīšanas ātrums: 10,100,1000 Mbit/s. Produkta krāsa: Melns, Kabeļu bloķēšanas slotas veids: Kensington. Barošanas avota veids: AC, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 50 - 60 Hz. Citas atbalstītās operētājsistēmas: Android



| Savienojamība                                          |                                  | Energijas pārvaldība                    |                             |
|--------------------------------------------------------|----------------------------------|-----------------------------------------|-----------------------------|
| Savienojamības tehnoloģija *                           | Vadu                             | Barošanas avots                         | 100 W                       |
| Saimnieka interfeiss *                                 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C | Izejas spriegums                        | 5 / 9 / 12 / 15 / 19 / 20 V |
| USB 2.0 pieslēgvietu skaits *                          | 2                                | Izejas strāva                           | 5 A                         |
| USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits * | 3                                | Savienojamie strāvas kontaktdakšu veidi | EU                          |
| USB 3.2 Gen 1 (3.1 Gen 1) C tipa pieslēgvietu skaits   | 2                                | Bezvadu lādēšana                        | ✗                           |
| USB barošanas padeve                                   | ✓                                | Programmatūra                           |                             |
| USB barošana līdz                                      | 100 W                            | Atbalstītās Windows operētājsistēmas    | ✓                           |
| DisplayPorts daudzums                                  | 2                                | Mac operētājsistēmas atbalstītas        | ✓                           |
| Kopējā pieslēgvietu austiņām/mikrofonam                | ✓                                | Linux operētājsistēma atbalstīta        | ✓                           |
| Austiņu savienojamība                                  | 3,5 mm                           | Citas atbalstītās operētājsistēmas      | Android                     |
| DC ieejas ligzda                                       | ✗                                | Ārējās vides apstākļi                   |                             |
| Tīklošana                                              |                                  | Darbības temperatūras amplitūda (T-T)   | 0 - 40 °C                   |
| Ethernet/LAN savienojums *                             | ✓                                | Darbības relatīvā mitruma amplitūda     | 10 - 100%                   |
| Ethernet LAN (RJ-45) pieslēgvietu skaits               | 1                                | Svars&dimensijas                        |                             |
| Ethernet LAN datu pārsūtīšanas ātrums                  | 10,100,1000 Mbit/s               | Platums                                 | 113 mm                      |
| Darbības rādītāji                                      |                                  | Dziļums                                 | 113 mm                      |
| Integrēts karšu lasītājs *                             | ✗                                | Augstums                                | 40 mm                       |
| Kabeļa saslēga slots                                   | ✓                                | Informācija par iepakojumu              |                             |
| Kabeļu bloķēšanas slotas veids                         | Kensington                       | Iepakojuma platums                      | 338 mm                      |
| VESA stiprinājums                                      | ✓                                | Iepakojuma dziļums                      | 150 mm                      |
| Produkta krāsa *                                       | Melns                            | Iepakojuma augstums                     | 55 mm                       |
| Integrēts on/off slēdzis                               | ✓                                | Iepakojuma svars                        | 998 g                       |
| LED indikatori                                         | ✓                                | Iepakojuma saturs                       |                             |
| Energijas pārvaldība                                   |                                  | Pievienoti kabeli                       | AC                          |
| Barošanas avota veids                                  | AC                               | AC adapteris komplektā                  | ✓                           |
| Maiņstrāvas ievades spriegums                          | 100 - 240 V                      | Manuāls                                 | ✓                           |

| Enerģijas pārvaldība           |            | Logistiskie dati                |          |
|--------------------------------|------------|---------------------------------|----------|
| Mainīstrāvas ievades frekvence | 50 - 60 Hz | Harmonizētās sistēmas (HS) kods | 84733020 |
| leejas strāva                  | 2.3 A      |                                 |          |



8595611703799

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.