



ICY BOX IB-3740-C31 HDD/SSD korpuss Melns 2.5/3.5"

Zīmols : ICY BOX

Preces kods: 60360

Modeļa nosaukums : IB-3740-C31

ICY BOX IB-3740-C31. Produkta veids: HDD/SSD korpuss. Atbalstītais uzglabāšanas diskdziņu skaits: 4, Uzglabāšanas diskdziņa izmērs: 2.5/3.5", Atbalstītie glabāšanas diska interfeisi: SATA, Serial ATA II, Serial ATA III, Maksimālā uzglabāšanas ietilpība: 10 TB. Datu pārsūtīšanas ātrums: 10 Gbit/s. RAID līmeņi: JBOD. Produkta krāsa: Melns. USB savienotājs: USB Veids-C



Datu uzglabāšanas līdzekļi		Energijas pārvaldība	
Atbalstītais uzglabāšanas diskdziņu skaits *	4	AC adaptera ieejas strāva	1,6 A
Uzglabāšanas diskdziņa izmērs *	2.5/3.5"	AC adaptera frekvence	50 - 60 Hz
Atbalstītie glabāšanas diska interfeisi *	SATA, Serial ATA II, Serial ATA III	AC adaptera izejas spriegums	12 V
RAID līmeņi	JBOD	AC adaptera izvades strāva	5 A
Maksimālā uzglabāšanas ietilpība	10 TB	Strāvas patēriņš (maks)	60 W
Savienojamība		Sistēmas prasības	
USB savienojamība *	✓	Atbalstītās Windows operētājsistēmas	✓
USB versija	3.2 Gen 2 (3.1 Gen 2)	Mac saderība	✓
USB savienotājs	USB Veids-C	Mac operētājsistēmas atbalstītas	✓
USB savienotāja dzimums	Sieviešu	Svars&dimensijas	
USB pieslēgvietu skaits	1	Platums	225 mm
DC ieejas ligzda	✓	Dziļums	127 mm
Dizains		Augstums	170 mm
Produkta veids *	HDD/SSD korpuss	Svars	2,13 kg
Produkta krāsa *	Melns	Kabeļa garums	1 m
Materiāls	Alumīnijs, Plastmasa	Iepakojuma platums	295 mm
LED indikatori	✓	Iepakojuma dziļums	160 mm
Integrēts on/off slēdzis	✓	Iepakojuma augstums	270 mm
Ventilatoru skaits	1 ventilators/ ventilatori	Iepakojuma svars	3,43 kg
Ventilatora diametrs	8 cm	Iepakojuma saturs	
		Pievienoti kabeli	USB Veids-C

Darbības rādītāji		Iepakojuma saturs	
Datu pārsūtišanas ātrums	10 Gbit/s	Skrūves iekļautas	✓
Chipset	VIALabs VL820, VL715	Skrūvgriezis iekļauts	✓
Atbalsta UASP	✓	Manuāls	✓
Plug and Play	✓	Logistiskie dati	
Izcelsmes valsts	Taivāna	Harmonizētās sistēmas (HS) kods	84718000
Energijas pārvaldība		Oriģinālās kastes platums	606 mm
Barošanas avota veids	Līdzstrāvas	Kastes garums (Master)	503 mm
AC adaptera ieejas spriegums	100 - 240 V	Oriģinālās kastes augstums	290 mm
		Kastes svars (Master)	20,6 kg
		Daudzums Master kastē	6 pcs



4250078167044



4250078168898

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.