

gorenje

Gorenje HQ60AG4 TH60E3W RL_G400

Brand : Gorenje

Product code: 735410

Product name : HQ60AG4 TH60E3W RL_G400

Gorenje HQ60AG4 TH60E3W RL_G400. Maximum extraction power: 350 m³/h, Type of extraction: Ducted/Recirculating, Fluid dynamic efficiency class: E. Type: Semi built-in (pull out), Product colour: White, Housing material: Metal. Grease filter type: Aluminium. Number of bulbs: 1 bulb(s), Bulb type: LED, Lighting efficiency (LE): 33.3 lux/W. Energy efficiency class: C, Annual energy consumption: 48.4 kWh, Connected load: 110 W



Performance		Lighting	
Maximum extraction power *	350 m³/h	Lighting efficiency (LE)	33.3 lux/W
Type of extraction *	Ducted/Recirculating	Power	
Fluid dynamic efficiency class *	E	Energy efficiency class *	C
Lighting efficiency class *	A	Connected load	110 W
Grease filtering efficiency class *	B	Motor power	108 W
Maximum recirculating power	180 m³/h	Power consumption (off)	0 W
Number of speeds *	3	Power consumption (standby)	0 W
Intensive speed	✗	Annual energy consumption *	48.4 kWh
Noise level *	67 dB	AC input voltage	220-240 V
Noise level (low speed)	50 dB	AC input frequency	50/60 Hz
Noise level (high speed)	67 dB	Current	10 A
Airflow (low speed)	150 m³/h	Energy efficiency class (legacy scale)	C
Design		Energy efficiency index (EEI)	76.1
Type *	Semi built-in (pull out)	Weight & dimensions	
Product colour *	White	Width *	600 mm
Housing material	Metal	Depth	306 mm
Control type	Lever	Height	170 mm
Cord length	10 m	Height (min)	17 cm
Built-in display *	✗	Height without chimney	17 cm
Exhaust location	Top	Weight	6.8 kg
Exhaust connection diameter	15 cm	Packaging data	
Number of motors	1	Package width	662 mm
Motor included	✓	Package depth	370 mm
Filtering		Package height	245 mm
Grease filter type *	Aluminium	Package weight	8 kg
Dishwasher proof filter	✓		
Removable filter	✓		

Filtering		Technical details	
Anti-odor filter	✗	Compliance certificates	CE, EAC
Washable filter	✓	Other features	
Lighting		Grease filtering efficiency (GFE)	86%
Number of bulbs	1 bulb(s)	Fluid dynamic efficiency (FDE)	13.3
Bulb type	LED		



3838782388439

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.