



LG 49VL5PJ-A информационный дисплей Панорамный дизайн 124,5 cm (49") 500 cd/m² Full HD Черный 24/7

Производитель : LG

Код товара: 49VL5PJ-A

Модель : 49VL5PJ-A

LG 49VL5PJ-A. Дизайн продукта: Панорамный дизайн. Диагональ экрана: 124,5 cm (49"), Разрешение экрана: 1920 x 1080 пикселей, Яркость дисплея: 500 cd/m², Тип HD: Full HD. Часы эксплуатации (часы/дни): 24/7. Цвет товара: Черный



Экран		Производительность	
Тип матрицы	IPS	Предназначение *	Коммерческий
Тип LED подсветки	Direct-LED	Экранное меню (OSD)	✓
Диагональ экрана *	124,5 cm (49")	Часы эксплуатации (часы/дни)	24/7
Разрешение экрана *	1920 x 1080 пикселей	Энергопитание	
Яркость дисплея *	500 cd/m ²	Потребляемая мощность (в обычном режиме) *	110 W
Тип HD *	Full HD	Потребляемая мощность (выкл.)	0,5 W
Сенсорный экран *	✗	Класс энергоэффективности (SDR)	G
Собственное форматное соотношение	16:9	Энергопотребление (SDR) на 1000 часов	73 кВт·ч
Время отклика	8 ms	Входящее напряжение сети	100-240 V
Контрастность (типичная)	1000:1	Частота входящего переменного тока	50 - 60 Hz
Контрастность (динамическая)	500000:1	Тепловыделение	375 BTU/ч
Угол обзора по горизонтали	178°	Шкала классов энергоэффективности	A - G
Угол обзора по вертикали	178°	Вес и размеры	
Количество цветов экрана	1,07 миллиардов цветов	Ширина экрана	1077,6 mm
Номинальный срок службы	60000 h	Глубина дисплея	89,7 mm
Естественная частота обновления	60 Hz	Высота дисплея	607,8 mm
Уровень тусклости	3%	Вес дисплея	17,8 kg
Порты и интерфейсы		Данные об упаковке	
Количество HDMI портов *	2	Ширина упаковки	1198 mm
Версия HDMI	2.2	Глубина упаковки	247 mm
Порт DVI *	✓	Высота упаковки	756 mm
Количество портов DVI-D	1	Масса брутто	21,9 kg
Количество портов DisplayPort *	1	Содержимое упаковки	
USB порт *	✓	Пульт дистанционного управления	✓
Количество портов USB	1	Поставляемые кабели	DisplayPort, LAN (RJ-45), Напряжение
Версия USB	2.0		
Количество портов Ethernet LAN (RJ-45)	1		
RS-232C	✓		
Дизайн			
Дизайн продукта *	Панорамный дизайн		

Дизайн		Условия эксплуатации	
Цвет товара *	Черный	Диапазон температур при эксплуатации	0 - 40 °C
Форма экрана	Плоский	Диапазон относительной влажности при эксплуатации	10 - 80%
крепление VESA *	✓		
Крепление VESA	600 x 400 mm		
Ширина рамки (нижняя)	2,25 mm		
Ширина рамки (боковая)	1,25 mm		
Ширина рамки (верхняя)	2,25 mm		
		Сеть	
		Подключение Ethernet *	✓
		Wi-Fi *	✗



8806091383150



8806091370211



0195174013922



195174013922

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.