

iivama LH4365UHSB-B1 ceļrāžu displejs Kioska dizains 108 cm (42.5") LED Wi-Fi 800 cd/m² 4K Ultra HD Melns leibūvētais procesors Android 11 24/7

Zīmols : iivama

Preces kods: LH4365UHSB-B1

Modeļa nosaukums : LH4365UHSB-B1

iivama LH4365UHSB-B1. Produkta dizains: Kioska dizains. Displeja diagonāle: 108 cm (42.5"), Ekrāna tehnoloģija: LED, Ekrāna izšķirtspēja: 3840 x 2160 pikseli, Ekrāna spilgtums: 800 cd/m², HD veids: 4K Ultra HD. Wi-Fi. Eksploatācijas ilgums (stundas/dienas): 24/7. Nodrošināta operētājsistēma: Android 11. Produkta krāsa: Melns



Displejs		Darbības rādītāji	
Paneļa veids	IPS	Vidējais laiks starp kļūmēm (MTBF)	50000 h
Displeja diagonāle *	108 cm (42.5")	Enerģijas pārvaldība	
Ekrāna tehnoloģija *	LED	Enerģija patēriņš *	51 W
Ekrāna izšķirtspēja *	3840 x 2160 pikseli	Jaudas patēriņš (standby) *	0,4 W
Ekrāna spilgtums *	800 cd/m ²	Jaudas patēriņš (off)	0,3 W
HD veids *	4K Ultra HD	Energoefektivitātes klase (SDR)	E
Skārienjūtīgais ekrāns *	✗	Energoefektivitātes klase (HDR)	Nav pieejams
Projektorā formātu attiecība	16:9	Energoefektivitātes klase (SDR)	50,7 kWh
Atbildes laiks	8 ms	1000 stundās	
Kontrasta attiecība (tipiskā)	1200:1	Maiņstrāvas ievades spriegums	100 - 240 V
Skata leņķis, horizontāli	178°	Maiņstrāvas ievades frekvence	50/60 Hz
Skata leņķis, vertikāli	178°	Energoefektivitātes skala	A līdz G
Displeja krāsu skaits	1,07 miljardi krāsu	Datorsistēma	
Pikseļa iestatne	0,245 x 0,245 mm	Datorsistēma *	✓
Aktīvais displeja laukums (P x A)	941,2 x 529,4 mm	leibūvētais procesors *	✓
Displeja diagonāle (metriskajā sistēmā)	108 cm	Procesora ražotājs	ARM
Horizontālās izvēršanas amplitūda	28 - 160 kHz	Procesora tips	ARM Cortex
Atsvaidzes intensitāte	60 Hz	Procesora arhitektūra	ARM Cortex-A73
Dūmakas līmenis	1%	Multikodola tips	8
RGB krāsu telpa	NTSC	Iekšējā atmiņa	4 GB
Savienojamība		Integrēts grafikas adaptera modelis	ARM Mali-G52
HDMI pieslēgvietu skaits *	2	Iekšējās glabātuves ietilpība	32 GB
HDMI versija	2.0	Nodrošināta operētājsistēma	Android 11
DisplayPorts daudzums *	1	Svars&dimensijas	
DisplayPort versija	1.2	Displeja platums	968 mm
USB pieslēgvietā *	✓	Ekrāna dziļums	54 mm
USB pieslēgvietu skaits	2	Ekrāna augstums	557 mm
USB versija	2.0	Ekrāna svars	8,7 kg
Ethernet LAN (RJ-45) pieslēgvietu skaits	1	Platums	968 mm
Audio (L, K) ievade	1	Dziļums	54 mm
RS-232 interfeiss	✓	Augstums	557 mm
		Svars	8,7 kg

Savienojamība		Informācija par iepakojumu	
RS-232C	✓	Iepakojuma platums	1075 mm
Audio		Iepakojuma dziļums	127 mm
Iebūvēti skaļruņi *	✓	Iepakojuma augstums	683 mm
Iebūvēto skaļruņu skaits	2	Iepakojuma svars	12,2 kg
RMS nominālā jauda	20 W	Iepakojuma saturs	
Dizains		Tālvadības pults	✓
Produkta dizains *	Kioska dizains	Pievienoti kabeli	AC, HDMI, RS-232
Orientācija	Horizontāli/Vertikāli	Ārējās vides apstākļi	
Produkta krāsa *	Melns	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
VESA stiprinājums *	✓	Darbības relatīvā mitruma amplitūda	-20 - 60%
VESA-wall mounting system saderīgs	200 x 200 mm	Uzglabāšanas temperatūras amplitūda (T-T)	-20 - 60 °C
Slīpās malas platums (apakšā)	1,4 cm	Tīklošana	
Slīpās malas platums (sānu)	1,35 cm	Ethernet/LAN savienojums *	✓
Slīpās malas platums (augšā)	1,4 cm	Wi-Fi *	✓
Apmales krāsa	Black	Wi-Fi standartu	Wi-Fi 5 (802.11ac)
Darbības rādītāji		Tehniskā informācija	
Mērķis, rezultāts *	Komercformāts	Atskaņošanas starpnieks	✓
On Screen Display (OSD)	✓	Lietotāja kontrolierīce	picture (brightness, contrast, sharpness, black level, tint, colour, noise reduction, gamma selection, low blue light, colour temperature, colour control, picture reset), screen (zoom mode, custom zoom, screen reset), audio (balance, treble, bass, volume, audio out, maximum volume, minimum volume, mute, audio reset, audio out sync, speaker setting), configuration 1 (Android launcher, switch on state, panel saving, RS232-routing, boot on source, WOL, configuration 1 reset, factory reset), configuration 2 (OSD timeout, OSD H-Position, OSD V-position, system rotation, information OSD, logo and animation, logo setting, animation setting, monitor ID, monitor information, HDMI version, configuration 2 reset), advanced option (no signal image, IR control, power LED light, off timer, schedule, HDMI with one wire, HDMI with one wire power off, FailOver, language, OSD transparency, power saving, auto power off, advanced option reset
Skaits OSD valodu	8		
On Screen Display (OSD) valodas	Tradicionālā ķīniešu valoda, Čehu, Vācu, Angļu, Spāņu, Franču, Itālijas, Japāņu, Holandiešu, Poļu valoda, Krievu valoda		
Ekspluatācijas ilgums (stundas/dienas)	24/7		
HDCP	✓		
HDCP versija	2.2		



4948570123551

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.