



COUGAR Power Supply ATLAS 750W ATX / 80 Plus Bronze

Brand : COUGAR

Product code: 31AL075001P01

Product name : Power Supply ATLAS 750W ATX / 80 Plus Bronze

- 80 PLUS Bronze Certified. Up to 87% efficiency power conversion to cut down your electricity bill
 - Superior fan Curve Tuning. Advanced technology for noise minimization
 - Single 12V DC Source. Extreme Performance for Powerful Graphics Systems
 - PF value up to 99%. Provides clean and reliable power
 - Compatible with the latest PC. TECHNOLOGY created for user with current and next-generation multi-core CPU platforms
 - Support PCI express 4.0 next-generation graphics cards with 8(6+2) pin PCI-E connector
 - FULL PROTECTIONS WITH SCP, OCP, OVP, UVP, OPP
 - 80 PLUS Bronze Certified Up to 86% efficiency power conversion to cut down your electricity bill
- 750 W, 100 - 240 V, 50 - 60 Hz, 10 - 5 A, 1.83 kg



Power		Ports & interfaces	
Total power *	750 W	Peripheral (Molex) power cable length	450 mm
AC input voltage *	100 - 240 V	PCI Express power connectors (6+2 pin)	4
AC input frequency	50/60 Hz	PCI Express power cable length	45 cm
Input current	10 - 5 A	CPU power cable length	60 cm
Maximum input current (@110V)	10 A	PCI Express connector	✓
Maximum input current (@220V)	5 A	Cabling type	Non-Modular
Combined power (+3.3V)	140 W	Performance	
Combined power (+12V)	750 W	80 PLUS certification *	80 PLUS Bronze
Combined power (+5V)	140 W	Purpose *	PC/Server
Combined power (-12V)	3.6 W	Design	
Combined power (+5Vsb)	15 W	Product colour	Black
Max output current (+3.3V)	22 A	Cooling type	Active
Max output current (+12V)	62.5 A	Fan diameter	12 cm
Max output current (+5V)	22 A	Number of fans	1 fan(s)
Max output current (-12V)	0.3 A	On/off switch	✓
Max output current (+5Vsb)	3 A	Certificates	
Efficiency	86%	Compliance certificates	CCC, CE, EAC, Federal Communications Commission (FCC), RoHS
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Weight & dimensions	
Ports & interfaces		Width	150 mm
Motherboard power connector *	20+4 pin ATX	Depth	140 mm
Motherboard power cable length	55 cm	Height	86 mm
Number of PATA power connectors	1	Weight	1.89 kg
Peripheral (Molex) power connectors (4-pin) *	3	Packaging data	
		Package width	158 mm
		Package depth	187 mm
		Package height	165 mm

Packaging data

Package weight	2.13 kg
Package type	Box



4710483774881

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.