

Manhattan 462594 monitora stiprinājums un statīvs 144,8 cm (57") Galds Melns

Zīmols : Manhattan

Preces kods: 462594


Modeļa nosaukums : 462594

Manhattan 462594. Montāža: Skava / starplika, Maksimālais svars (tilpums): 27 kg, Minimālais iespējamais ekrāna izmērs: 43,2 cm (17"), Maksimālais iespējamais ekrāna izmērs: 144,8 cm (57"), Montāžas saskarnes saderība (min): 75 x 75 mm, Montāžas saskarnes saderība (max): 200 x 200 mm. Augsta koriģēšana, Slīpuma leņķis: -20 - 60°. Produkta krāsa: Melns



Montāža		Dizains	
Maksimālais svars (tilpums) *	27 kg	Apvalka materiāls	Alumīnijs
Minimālais iespējamais ekrāna izmērs *	43,2 cm (17")	Produkta krāsa *	Melns
Atbalstītais ekrānu skaits *	1	Savienojamība	
Maksimālais iespējamais ekrāna izmērs *	144,8 cm (57")	Iebūvēts USB mezgls	✓
Montāža	Skava / starplika	USB mezgla versija	3.2 Gen 1 (3.1 Gen 1)
Uzstādīšanas tips *	Galds	USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits	1
Montāžas saskarnes saderība (min) *	75 x 75 mm	USB 3.2 Gen 1 (3.1 Gen 1) C tipa pieslēgvietu skaits	1
Montāžas saskarnes saderība (max) *	200 x 200 mm	Datu pārsūtīšanas ātrums	5 Gbit/s
VESA-wall mounting system saderīgs	75 x 75,100 x 100,100 x 200,200 x 100,200 x 200	Svars&dimensijas	
Galda biezums (min)	1 cm	Platums	580 mm
Stiprināšanas ar skavu galda biezums (maks.)	4,5 cm	Dziļums	120 mm
Stiprināšanas ar starpliku galda biezums (maks.)	6 cm	Augstums	730 mm
Montāžas atveres attālums	10 - 60 mm	Svars	5,4 kg
Ergonomika		Informācija par iepakojumu	
Augsta koriģēšana	✓	Iepakojuma platums	250 mm
Augstuma regulēšanas diapazons	325 - 655 mm	Iepakojuma dziļums	440 mm
Slīpuma regulēšana	✓	Iepakojuma augstums	130 mm
Slīpuma leņķis	-20 - 60°	Iepakojuma svars	6,13 kg
Grozīšana	✓	Iepakojuma saturs	
Šarnīrsavienojuma leņķis	180°	Pievienoti kabeli	USB Type-A, USB Type-A - USB Type-C
Sagriešana (rotate)	✓	VESA stiprinājums iekļauts	✓
		Montāžas komplekts	✓

Ergonomika		Iepakojuma saturs	
Rotācijas leņķis	360°	Manuāls	✓
Uzlabota kabeļu pārvaldība	✓	Papildus informācija	
		Atbilstības sertifikāti	CE, REACH, RoHS
		Logistiskie dati	
		Originālās kastes platums	270 mm
		Kastes garums (Master)	455 mm
		Originālās kastes augstums	405 mm
		Kastes svars (Master)	19,1 kg
		Daudzums Master kastē	3 pcs



0766623462594



766623462594

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.