



## DELL Plus S2725QC computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Silver

**Brand :** DELL

**Product family:** Plus

**Product code:** DELL-S2725QC

**Product name :** S2725QC

- 68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS

- 8ms, 16:9, 350cd/m<sup>2</sup>, 1500:1

- USB, HDMI

68.6cm (27") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 350cd/m<sup>2</sup>, 1.07B, 8ms, 178°/178°, 1500:1  
DELL Plus S2725QC. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Silver




| Display                        |                                                                                                                                                                                                     | Network                                   |              |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *             | 68.6 cm (27")                                                                                                                                                                                       | Wi-Fi                                     | ✗            |
| Display resolution *           | 3840 x 2160 pixels                                                                                                                                                                                  | <b>Ergonomics</b>                         |              |
| HD type *                      | 4K Ultra HD                                                                                                                                                                                         | VESA mounting *                           | ✓            |
| Native aspect ratio *          | 16:9                                                                                                                                                                                                | Panel mounting interface                  | 100 x 100 mm |
| Display technology *           | LCD                                                                                                                                                                                                 | Wall mountable                            | ✓            |
| Panel type *                   | IPS                                                                                                                                                                                                 | Cable management                          | ✓            |
| LED backlight                  | ✓                                                                                                                                                                                                   | Cable lock slot *                         | ✓            |
| Backlight type                 | Edge LED                                                                                                                                                                                            | Cable lock slot type                      | Kensington   |
| Touchscreen *                  | ✗                                                                                                                                                                                                   | Height adjustment *                       | ✓            |
| Display brightness (typical)   | 350 cd/m <sup>2</sup>                                                                                                                                                                               | Adjustable height (max)                   | 13 cm        |
| Response time *                | 8 ms                                                                                                                                                                                                | Pivot                                     | ✓            |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                                                                  | Pivot angle                               | -90 - 90°    |
| Anti-glare screen              | ✓                                                                                                                                                                                                   | Swivelling                                | ✓            |
| Screen shape *                 | Flat                                                                                                                                                                                                | Swivel angle range                        | -30 - 30°    |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1280, 2560 x 1440, 3840 x 2160 | Tilt adjustment                           | ✓            |
|                                |                                                                                                                                                                                                     | Tilt angle range                          | -5 - 21°     |
| Supported video modes          | 480p, 576p, 720p, 1080i, 1080p, 2160p                                                                                                                                                               | On Screen Display (OSD)                   | ✓            |
| Contrast ratio (typical) *     | 1500:1                                                                                                                                                                                              | Plug and Play                             | ✓            |
| Maximum refresh rate *         | 120 Hz                                                                                                                                                                                              | LED indicators                            | Power        |
| Viewing angle, horizontal      | 178°                                                                                                                                                                                                | <b>Power</b>                              |              |
| Viewing angle, vertical        | 178°                                                                                                                                                                                                | Energy efficiency class (SDR) *           | F            |
| Display number of colours *    | 1.07 billion colours                                                                                                                                                                                | Energy efficiency class (HDR) *           | G            |
| Response time (fast)           | 5 ms                                                                                                                                                                                                | Energy consumption (SDR) per 1000 hours * | 25 kWh       |
| Pixel pitch                    | 0.1554 x 0.1554 mm                                                                                                                                                                                  | Energy consumption (HDR) per 1000 hours * | 37 kWh       |
| Pixel density                  | 163 ppi                                                                                                                                                                                             | Power consumption (typical) *             | 25.2 W       |
| Viewable size, horizontal      | 59.7 cm                                                                                                                                                                                             | Power consumption (standby) *             | 0.4 W        |
| Viewable size, vertical        | 33.6 cm                                                                                                                                                                                             | Power consumption (max)                   | 180 W        |
| Digital horizontal frequency   | 27 - 270 kHz                                                                                                                                                                                        | Power consumption (off)                   | 0.3 W        |

| Display                                      |                             | Power                             |                              |
|----------------------------------------------|-----------------------------|-----------------------------------|------------------------------|
| Digital vertical frequency                   | 48 - 120 Hz                 | AC input voltage                  | 100 - 240 V                  |
| High Dynamic Range (HDR) supported           | ✗                           | AC input frequency                | 50/60 Hz                     |
| Surface hardness                             | 3H                          | Input current                     | 2.3 A                        |
| sRGB coverage (typical)                      | 99%                         | Power supply type                 | Internal                     |
|                                              |                             | Energy efficiency scale           | A to G                       |
| Performance                                  |                             | Operational conditions            |                              |
| NVIDIA G-SYNC *                              | ✗                           | Operating temperature (T-T)       | 0 - 40 °C                    |
| AMD FreeSync *                               | ✓                           | Storage temperature (T-T)         | -20 - 60 °C                  |
| AMD FreeSync type                            | FreeSync Premium            | Operating relative humidity (H-H) | 10 - 80%                     |
| Flicker-free technology                      | ✓                           | Storage relative humidity (H-H)   | 5 - 90%                      |
| Low Blue Light technology                    | ✓                           | Operating altitude                | 0 - 5000 m                   |
|                                              |                             | Non-operating altitude            | 5000 - 12192 m               |
| Multimedia                                   |                             | Weight & dimensions               |                              |
| Number of speakers                           | 2                           | Width (with stand)                | 611.5 mm                     |
| RMS rated power                              | 10 W                        | Depth (with stand)                | 200.4 mm                     |
| Built-in speaker(s) *                        | ✓                           | Height (with stand)               | 518.6 mm                     |
| Built-in camera *                            | ✗                           | Weight (with stand)               | 6.5 kg                       |
|                                              |                             | Width (without stand)             | 611.5 mm                     |
|                                              |                             | Depth (without stand)             | 60 mm                        |
|                                              |                             | Height (without stand)            | 356 mm                       |
|                                              |                             | Weight (without stand)            | 4.85 kg                      |
|                                              |                             | Bezel width (side)                | 7.4 mm                       |
|                                              |                             | Bezel width (top)                 | 7.3 mm                       |
|                                              |                             | Bezel width (bottom)              | 1.3 cm                       |
| Design                                       |                             | Packaging data                    |                              |
| Market positioning *                         | Office                      | Package weight                    | 8.9 kg                       |
| Product colour *                             | Silver                      |                                   |                              |
| Front bezel colour                           | Black                       | Packaging content                 |                              |
| Detachable stand                             | ✓                           | Stand included                    | ✓                            |
| Feet colour                                  | Silver                      | Cables included                   | AC, USB Type-C to USB Type-C |
|                                              |                             | Remote control included           | ✗                            |
|                                              |                             | Stylus included                   | ✗                            |
|                                              |                             | Quick start guide                 | ✓                            |
| Ports & interfaces                           |                             | Sustainability                    |                              |
| Built-in USB hub *                           | ✓                           | Sustainability certificates       | ENERGY STAR                  |
| USB hub version                              | 2.0 / 3.2 Gen 1 (3.1 Gen 1) | Doesn't contain                   | Arsenic, Mercury, PVC/BFR    |
| USB upstream port type                       | USB Type-C                  |                                   |                              |
| Number of USB Type-C upstream ports quantity | 1                           | Other features                    |                              |
| USB Type-A downstream ports quantity         | 2                           | Compliance certificates           | RoHS                         |
| USB Type-C downstream ports quantity         | 1                           |                                   |                              |
| USB Type-C DisplayPort Alternate Mode        | ✓                           | Technical details                 |                              |
| USB Power Delivery (USB PD)                  | ✓                           | Native refresh rate               | 60 Hz                        |
| USB Power Delivery up to                     | 65 W                        |                                   |                              |
| HDMI *                                       | ✓                           |                                   |                              |
| HDMI ports quantity                          | 2                           |                                   |                              |
| HDMI version                                 | 2.1                         |                                   |                              |
| Headphone out *                              | ✗                           |                                   |                              |
| HDCP                                         | ✓                           |                                   |                              |
| HDCP version                                 | 1.4/2.3                     |                                   |                              |



5397184962367



0884116485124



884116485124



5715063871713



5715328321311

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.