




Gamer Storm PN1000M power supply unit 1000 W 20+4 pin ATX ATX Black

Brand : Gamer Storm

Product code: R-PNA00M-FC0B-JGEU

Product name : PN1000M

Gamer Storm PN1000M. Total power: 1000 W, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 55 cm, SATA power cable length: 450,570,690,810 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Fan diameter: 13.5 cm. Compliance certificates: RoHS, WEEE, Certification: CE/FCC/CCC/TUV-RH/cTUVus/RCM/EAC/BIS



Power		Ports & interfaces	
Total power *	1000 W	ATX power connector (20+4 pin)	✓
AC input voltage *	100 - 240 V	Cabling type	Fully-Modular
AC input frequency	50/60 Hz	Performance	
Power Factor Correction (PFC) type	Active	80 PLUS certification *	80 PLUS Gold
Hold time	16 ms	Purpose *	PC
Efficiency	90%	Power supply unit (PSU) form factor *	ATX
Power Good signal delay range	100 - 150 ms	ATX version	3.1
Power protection features	No load operation, Over current,	Bearing technology	FDB
	Over power, Over voltage, Overheating, Short circuit, Surge & inrush protection (SIP), Under voltage	Mean time between failures (MTBF)	100000 h
Ports & interfaces		Design	
Motherboard power connector *	20+4 pin ATX	Product colour	Black
Motherboard power cable length	55 cm	Cooling type	Active
Number of SATA power connectors	8	Fan diameter	13.5 cm
SATA power cable length	450,570,690,810 mm	Number of fans	1 fan(s)
Peripheral (Molex) power connectors (4-pin) *	2	Fan location	Top
Peripheral (Molex) power cable length	930 mm	On/off switch	✓
PCI Express power connectors (6+2 pin)	3	Operational conditions	
PCI Express power connectors (16-pin)	1	Operating temperature (T-T)	0 - 40 °C
CPU power connector (4+4 pin)	✓	Certificates	
CPU power cable length	70 cm	Compliance certificates	RoHS, WEEE
		Certification	CE/FCC/CCC/TUV-RH/cTUVus/RCM/EAC/BIS
		Weight & dimensions	
		Width	150 mm
		Depth	150 mm
		Height	86 mm

Technical details

Sustainability certificates

ErP, Triman



6933412741237

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.