




Gamer Storm PN1000M barošanas avotu vienība 1000 W 20+4 pin ATX ATX Melns

Zīmols : Gamer Storm

Preces kods: R-PNA00M-FC0B-JGEU

Modeļa nosaukums : PN1000M



Gamer Storm PN1000M. Kopējā jauda: 1000 W, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 50/60 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, Mātesplates barošanas vada garums: 55 cm, SATA strāvas kabeļa garums: 450,570,690,810 mm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS Gold. Produkta krāsa: Melns, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 13,5 cm. Atbilstības sertifikāti: RoHS, WEEE, Sertifikācija: CE/FCC/CCC/TUV-RH/cTUVus/RCM/EAC/BIS

Energijas pārvaldība		Savienojamība	
Kopējā jauda *	1000 W	ATX barošanas savienotājs (20 + 4 pin)	✓
Maiņstrāvas ievades spriegums *	100 - 240 V	Kabeļu tips	Pilnībā modulāra uzbūve
Maiņstrāvas ievades frekvence	50/60 Hz	Darbības rādītāji	
Strāvas faktora korekcija (PFC) veids	Aktīvs	80 PLUS sertifikācija *	80 PLUS Gold
Turēšanas laiks	16 ms	Mērķis, rezultāts *	PC (dators)
Efektivitāte	90%	Strāvas padeves bloka (PSU) formas faktors *	ATX
Strāvas labā signāla nokavējuma diapazons	100 - 150 ms	ATX versija	3.1
Jaudas aizsardzības apraksts	Darbs bez slodzes, Pārstrāva, Pārslodze, Pārspriegums, Pārkaršana, Īssavienojums, Surge & inrush protection (SIP), Zem sprieguma	Dzesētāja ass tips	FDB
Savienojamība		Vidējais laiks starp kļūmēm (MTBF)	100000 h
Mātesplates strāvas konektors *	20+4 pin ATX	Dizains	
Mātesplates barošanas vada garums	55 cm	Produkta krāsa	Melns
SATA strāvas savienotāju skaits	8	Dzesēšanas tips	Aktīvs
SATA strāvas kabeļa garums	450,570,690,810 mm	Ventilatora diametrs	13,5 cm
Perifērās (Molex) strāvas savienotāji (4-pin) *	2	Ventilatoru skaits	1 ventilators/ ventilatori
Perifērālā (Molex) strāvas kabeļa garums	930 mm	Ventilatora novietojums	Galvas
PCI Express strāvas konektors (6+2 tapu)	3	Integrēts on/off slēdzis	✓
PCI Express barošanas savienotāji (16 kontakti)	1	Ārējās vides apstākļi	
CPU barošanas savienotājs (4 + 4 pin)	✓	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
CPU strāvas kabeļa garums	70 cm	Sertifikāti	
		Atbilstības sertifikāti	RoHS, WEEE
		Sertifikācija	CE/FCC/CCC/TUV-RH/cTUVus/RCM/EAC/BIS
		Svars&dimensijas	
		Platums	150 mm
		Dziļums	150 mm

Svars&dimensijas	
Augstums	86 mm
Tehniskā informācija	
Ilgspējas sertifikāti	ErP, Triman



6933412741237

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.