

Epson EB-FH08

Brand : Epson

Product code: V11HB54040

Product name : EB-FH08

Full HD lamp projector, 2x HDMI ports, 3,600 lumens, up to 337 inches large display  
Epson EB-FH08. Projector brightness: 3600 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 12000 h. Focus: Manual, Focal length range: 16.9 - 20.28 mm, Aperture range (F-F): 1.49 - 1.72. Colour modes (2D): Cinema, Dynamic, Video colour modes: Blackboard, Cinema, Dynamic, Photo, sRGB. Service port type: USB Type-B



| Projector                                    |                               | Design                            |                  |
|----------------------------------------------|-------------------------------|-----------------------------------|------------------|
| Smart projector *                            | ✗                             | Market positioning *              | Home cinema      |
| Screen size compatibility *                  | 863.6 - 8559.8 mm (34 - 337") | Product colour *                  | White            |
| Projection distance                          | 1.6 - 1.92 m                  | Placement                         | Ceiling, Desktop |
| Contrast ratio (dynamic)                     | 16000:1                       | Cable lock slot                   | ✓                |
| Projector brightness *                       | 3600 ANSI lumens              | Cable lock slot type              | Kensington       |
| Projection technology *                      | 3LCD                          | Display                           |                  |
| Projector native resolution *                | 1080p (1920x1080)             | Built-in display *                | ✗                |
| Contrast ratio (typical) *                   | 16000:1                       | Power                             |                  |
| Native aspect ratio *                        | 16:9                          | Power source *                    | AC               |
| Number of colours                            | 16.7 million colours          | Power consumption (typical) *     | 284 W            |
| Projector brightness (economic mode)         | 2200 ANSI lumens              | Power consumption (standby) *     | 0.3 W            |
| Vertical scan range                          | 192 - 240 Hz                  | Power consumption (economy mode)  | 181 W            |
| Keystone correction, horizontal              | ±30°                          | AC input voltage                  | 100 - 240 V      |
| Keystone correction, vertical                | ±30°                          | AC input frequency                | 50 - 60 Hz       |
| Matrix size                                  | 1.57 cm (0.62")               | Operational conditions            |                  |
| Light source                                 |                               | Operating temperature (T-T)       | 5 - 35 °C        |
| Light source type *                          | Lamp                          | Storage temperature (T-T)         | -10 - 60 °C      |
| Service life of light source *               | 6000 h                        | Operating relative humidity (H-H) | 41 - 95%         |
| Service life of light source (economic mode) | 12000 h                       | Storage relative humidity (H-H)   | 10 - 90%         |
| Lamp type                                    | UHE                           | Weight & dimensions               |                  |
| Lamp power                                   | 210 W                         | Width                             | 302 mm           |
| Lens system                                  |                               | Depth                             | 252 mm           |
| Focus *                                      | Manual                        | Height                            | 92 mm            |
| Focal length range                           | 16.9 - 20.28 mm               | Weight *                          | 2.7 kg           |
| Aperture range (F-F)                         | 1.49 - 1.72                   | Package width                     | 355 mm           |
| Zoom capability                              | ✓                             | Package depth                     | 380 mm           |
| Zoom type                                    | Manual                        | Package height                    | 165 mm           |
| Zoom ratio                                   | 1.2:1                         | Package weight                    | 4.13 kg          |
| Throw ratio                                  | 1.21 - 1.45:1                 |                                   |                  |

| Video                         |                                          | Packaging content              |                                                                                                                                                  |
|-------------------------------|------------------------------------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Analog signal format system * | Not supported                            | Remote control included *      | ✓                                                                                                                                                |
| Full HD *                     | ✓                                        | Batteries included             | ✓                                                                                                                                                |
| 3D *                          | ✗                                        | Cables included                | AC                                                                                                                                               |
| Colour modes (2D)             | Cinema, Dynamic                          | AC adapter included            | ✓                                                                                                                                                |
| Video colour modes            | Blackboard, Cinema, Dynamic, Photo, sRGB | Technical details              |                                                                                                                                                  |
| Ports & interfaces            |                                          | Other features                 | A/V mute, Auto source search, Built-in speaker, Horizontal and vertical keystone correction, Long lamp life, Quick Corner, Split-Screen-Function |
| Service port type             | USB Type-B                               | Mobile app support             | ✓                                                                                                                                                |
| USB 2.0 Type-A ports quantity | 1                                        | Power consumption              | 284 Watt (Normal On-Mode), 181 Watt (Eco On-Mode), 332 Watt (Normal Peak-mode), 231 Watt (Eco Peak-Mode), 0.3 Watt (Energy saving standby)       |
| HDMI ports quantity *         | 2                                        | Logistics data                 |                                                                                                                                                  |
| DVI port *                    | ✗                                        | Quantity per pack              | 1 pc(s)                                                                                                                                          |
| Network                       |                                          | Products per pallet            | 72 pc(s)                                                                                                                                         |
| Smart TV *                    | ✗                                        | Pallet gross length            | 120 cm                                                                                                                                           |
| Ethernet LAN *                | ✗                                        | Pallet gross width             | 80 cm                                                                                                                                            |
| Wi-Fi *                       | ✗                                        | Pallet gross height            | 2.13 m                                                                                                                                           |
| Storage                       |                                          | Products per pallet layer      | 6 pc(s)                                                                                                                                          |
| Card reader integrated *      | ✗                                        | Products per pallet layer (UK) | 6 pc(s)                                                                                                                                          |
| Features                      |                                          | Products per pallet (UK)       | 72 pc(s)                                                                                                                                         |
| Interactive *                 | ✗                                        | Pallet length (UK)             | 120 cm                                                                                                                                           |
| Noise level (economic mode)   | 28 dB                                    | Pallet height (UK)             | 2.13 m                                                                                                                                           |
| Noise level (standby)         | 28 dB                                    | Other features                 |                                                                                                                                                  |
| Noise level *                 | 37 dB                                    | Option type                    | Air filter, Ceiling mount, Document camera, Safety wire set, Soft carry case, Wireless LAN unit                                                  |
| Country of origin             | Philippines                              | Interface                      | USB 2.0 Type B (Service Only), HDMI in (2x), Jack plug out, USB 2.0-A                                                                            |
| Password protection           | ✓                                        | Control panel                  | 0.62 inch with C2 Fine                                                                                                                           |
| Multimedia                    |                                          | Audio system                   | Standard                                                                                                                                         |
| Built-in speaker(s) *         | ✓                                        | Box contents                   | Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, Warranty card                                                         |
| RMS rated power               | 2 W                                      | Security features              | Kensington lock, Padlock, Security cable hole, Password protection                                                                               |



8715946738567

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.