



## DELL SE2425HG computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black

**Brand :** DELL

**Product code:** DELL-SE2425HG

**Product name :** SE2425HG

- 61.0cm (24") Full HD 1920 x 1080 Edge LED IPS
- 5ms, 16:9, 300cd/m<sup>2</sup>, 1000:1
- HDMI, DisplayPort
- 61.0cm (24") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m<sup>2</sup>, 16.7M, 5ms, 178°/178°, 1000:1

**DELL SE2425HG computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LCD Black:**

Perfect for all your entertainment and light gaming, this 24-inch FHD monitor features a high 200Hz refresh rate, fast IPS panel and built-in ComfortView Plus.

DELL SE2425HG. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



| Display                        |                                                                                                                                                                | Ports & interfaces                        |              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *             | 61 cm (24")                                                                                                                                                    | Headphone out *                           | ✓            |
| Display resolution *           | 1920 x 1080 pixels                                                                                                                                             | Headphone connectivity                    | 3.5 mm       |
| HD type *                      | Full HD                                                                                                                                                        | <b>Ergonomics</b>                         |              |
| Native aspect ratio *          | 16:9                                                                                                                                                           | VESA mounting *                           | ✓            |
| Display technology *           | LCD                                                                                                                                                            | Panel mounting interface                  | 100 x 100 mm |
| Panel type *                   | IPS                                                                                                                                                            | Cable management                          | ✓            |
| LED backlight                  | ✓                                                                                                                                                              | Cable lock slot *                         | ✓            |
| Backlight type                 | Edge LED                                                                                                                                                       | Cable lock slot type                      | Kensington   |
| Touchscreen *                  | ✗                                                                                                                                                              | Height adjustment *                       | ✗            |
| Display brightness (typical)   | 300 cd/m <sup>2</sup>                                                                                                                                          | Tilt adjustment                           | ✓            |
| Response time *                | 5 ms                                                                                                                                                           | Tilt angle range                          | -5 - 21°     |
| Response time measurement type | GTG (Gray to Gray)                                                                                                                                             | On Screen Display (OSD)                   | ✓            |
| Anti-glare screen              | ✓                                                                                                                                                              | Plug and Play                             | ✓            |
| Screen shape *                 | Flat                                                                                                                                                           | LED indicators                            | ✓            |
| Supported graphics resolutions | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080) | <b>Power</b>                              |              |
| Supported video modes          | 480p, 576p, 720p, 1080p                                                                                                                                        | Energy efficiency class (SDR) *           | E            |
| Contrast ratio (typical) *     | 1000:1                                                                                                                                                         | Energy efficiency class (HDR) *           | G            |
| Maximum refresh rate *         | 200 Hz                                                                                                                                                         | Energy consumption (SDR) per 1000 hours * | 16 kWh       |
| Viewing angle, horizontal      | 178°                                                                                                                                                           | Energy consumption (HDR) per 1000 hours * | 24 kWh       |
| Viewing angle, vertical        | 178°                                                                                                                                                           | Power consumption (typical) *             | 15.6 W       |
| Display number of colours *    | 16.7 million colours                                                                                                                                           | Power consumption (standby) *             | 0.5 W        |
| Response time (fast)           | 3 ms                                                                                                                                                           | Power consumption (max)                   | 38 W         |
| Pixel pitch                    | 0.2745 x 0.2745 mm                                                                                                                                             | Power consumption (off)                   | 0.3 W        |
| Pixel density                  | 93 ppi                                                                                                                                                         | AC input voltage                          | 100 - 240 V  |
| Viewable size, horizontal      | 52.7 cm                                                                                                                                                        | AC input frequency                        | 50/60 Hz     |
| Viewable size, vertical        | 29.6 cm                                                                                                                                                        | Input current                             | 0.8 A        |

| Display                             |                            | Power                             |                           |
|-------------------------------------|----------------------------|-----------------------------------|---------------------------|
| Viewable size diagonal              | 60.5 cm                    | Power supply type                 | Internal                  |
| Digital horizontal frequency        | 30 - 238 kHz               | Energy efficiency scale           | A to G                    |
| Digital vertical frequency          | 48 - 120 Hz                | Operational conditions            |                           |
| Display diagonal (metric)           | 60.47 cm                   | Operating temperature (T-T)       | 0 - 40 °C                 |
| Surface hardness                    | 3H                         | Storage temperature (T-T)         | -20 - 60 °C               |
| sRGB coverage (typical)             | 99%                        | Operating relative humidity (H-H) | 10 - 80%                  |
| Response time (extreme)             | 1 ms                       | Storage relative humidity (H-H)   | 5 - 90%                   |
| Performance                         |                            | Operating altitude                | 0 - 5000 m                |
| NVIDIA G-SYNC *                     | ✗                          | Non-operating altitude            | 0 - 12192 m               |
| AMD FreeSync *                      | ✓                          | Weight & dimensions               |                           |
| AMD FreeSync type                   | FreeSync                   | Width (with stand)                | 538.8 mm                  |
| Flicker-free technology             | ✓                          | Depth (with stand)                | 188 mm                    |
| Low Blue Light technology           | ✓                          | Height (with stand)               | 412.3 mm                  |
| Smart modes                         | FPS, MOBA/RTS, RPG, Sports | Weight (with stand)               | 2.95 kg                   |
| Windows operating systems supported | ✓                          | Width (without stand)             | 538.8 mm                  |
| Mac operating systems supported     | ✓                          | Depth (without stand)             | 47.2 mm                   |
| Multimedia                          |                            | Height (without stand)            | 317.1 mm                  |
| Built-in speaker(s) *               | ✗                          | Weight (without stand)            | 2.62 kg                   |
| Built-in camera *                   | ✗                          | Bezel width (side)                | 5.9 mm                    |
| Design                              |                            | Bezel width (top)                 | 5.9 mm                    |
| Market positioning *                | Gaming                     | Bezel width (bottom)              | 1.47 cm                   |
| Product colour *                    | Black                      | Packaging data                    |                           |
| Front bezel colour                  | Black                      | Package weight                    | 4.53 kg                   |
| Detachable stand                    | ✓                          | Packaging content                 |                           |
| Feet colour                         | Black                      | Stand included                    | ✓                         |
| Ports & interfaces                  |                            | Cables included                   | HDMI                      |
| Built-in USB hub *                  | ✗                          | HDMI cable length                 | 1.8 m                     |
| HDMI *                              | ✓                          | Sustainability                    |                           |
| HDMI ports quantity                 | 2                          | Doesn't contain                   | Arsenic, Mercury, PVC/BFR |
| HDMI version                        | 2.1                        | Other features                    |                           |
| DisplayPorts quantity               | 1                          | Compliance certificates           | RoHS                      |
| DisplayPort version                 | 1.4                        |                                   |                           |



5397184962893

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.