

Epson EB-L895U

Brand : Epson

Product code: V11HB27140

Product name : EB-L895U

3LCD, 8000 lum, WUXGA, 16:10, 5000000:1, Laser, $\pm 30^\circ$, 1.07 bil, 50-500", 2.4 - 23.8 m, 388 W, 100-240 V, 50-60 Hz

Epson EB-L895U. Projector brightness: 8000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Aperture range (F-F): 1.5 - 1.7. Supported graphics resolutions: 1920 x 1200 (WUXGA), Video processing: 10 bit, Colour modes (2D): Cinema, Dynamic, Natural. Serial interface type: RS-232C



Projector		Design	
Supported aspect ratios	16:10, 21:9	Cable lock slot type	Kensington
Smart projector *	✓	Display	
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Built-in display *	✓
Projection distance	1.44 - 23.84 m	Display	LCD
Projection distance (wide)	1.4 - 14.8 m	Display diagonal	1.7 cm (0.67")
Projection distance (tele)	2.4 - 23.8 m	Power	
Contrast ratio (dynamic)	5000000:1	Power source *	AC
Projector brightness *	8000 ANSI lumens	Power consumption (typical) *	388 W
Projection technology *	3LCD	Power consumption (standby) *	0.4 W
Projector native resolution *	WUXGA (1920x1200)	Power consumption (max)	450 W
Contrast ratio (typical) *	5000000:1	Power consumption (economy mode)	266 W
Native aspect ratio *	16:10	AC input voltage	100 - 240 V
Number of colours	1.07 billion colours	AC input frequency	50 - 60 Hz
Projector brightness (economic mode)	5600 ANSI lumens	Operational conditions	
Keystone correction, horizontal	$\pm 30^\circ$	Storage temperature (T-T)	-10 - 60 °C
Keystone correction, vertical	$\pm 30^\circ$	Operating relative humidity (H-H)	20 - 80%
Light source		Storage relative humidity (H-H)	10 - 90%
Light source type *	Laser	Weight & dimensions	
Service life of light source *	20000 h	Width	440 mm
Service life of light source (economic mode)	30000 h	Depth	340 mm
Lens system		Height	138 mm
Focus *	Manual	Weight *	8.5 kg
Focal length range	20 - 31.8 mm	Package width	505 mm
Aperture range (F-F)	1.5 - 1.7	Package depth	515 mm
Zoom capability	✓	Package height	235 mm
Zoom type	Manual	Package weight	12.5 kg
Zoom ratio	1.6:1	Packaging content	
Throw ratio	1.35 - 2.20:1	Remote control included *	✓
Horizontal lens shift range	-20 - -20%	Batteries included	✓
Vertical lens shift range	-50 - -50%		

Video		Packaging content			
Supported graphics resolutions	1920 x 1200 (WUXGA)	Cables included	Power		
Video processing	10 bit	Technical details			
Colour modes (2D)	Cinema, Dynamic, Natural				
Video colour modes	BT.709, Cinema, DICOM simulation mode, Dynamic, Multi-projection, Natural, Presentation	21:9 aspect ratio support, A/V mute, Auto Power On, Built-in speaker, Customizable user logo, Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, JPEG Viewer, Network projection, OSD copy function, PC Free, Point correction, Quick Corner, Schedule Function, Screen Mirroring, Split-Screen-Function, Ultra-wide display (16:6), Web Control, Web Remote, Wireless LAN capable, iProjection App			
Ports & interfaces					
HDBaseT port	✓			Other features	
Serial interface type *	RS-232C			Sustainability certificates	
HDMI ports quantity *	1				Mobile app support
DC-in jack	✓				Power consumption
Network				388 Watt (Normal On-Mode), 266 Watt (Eco On-Mode), 450 Watt (Normal Peak-mode), 330 Watt (Eco Peak-Mode), 0.4 Watt (Energy saving standby)	
Ethernet LAN *	✓				
Ethernet LAN (RJ-45) ports	1				
Wi-Fi *	✓				
Miracast	✓				
Apple AirPlay 2 support	✓				
Features		Logistics data			
Noise level (economic mode)	26 dB	Quantity per pack	1 pc(s)		
Screen mirroring	✓	Products per pallet	16 pc(s)		
Noise level *	36 dB	Pallet gross length	120 cm		
Air filter	✓	Pallet gross width	80 cm		
Country of origin	Philippines	Pallet gross height	2.03 m		
Password protection	✓	Products per pallet layer	2 pc(s)		
Multimedia		Products per pallet layer (UK)	2 pc(s)		
Built-in speaker(s) *	✓	Products per pallet (UK)	16 pc(s)		
RMS rated power	10 W	Pallet length (UK)	120 cm		
Design		Pallet height (UK)	2.03 m		
		Other features			
Market positioning *	Home cinema	Option type	Air filter, Camera module, Ceiling mount, Document camera, External Speaker, HDBaseT Transmitter, Safety wire set, Suspension adapter, WP System - ELPWP20		
Product type *	Standard throw projector				
Product colour *	Black				
Housing material	Plastic	Interface	USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac, HDMI out, HDBaseT, Miracast, Jack plug out, HDMI (HDCP 2.3) (2x), Near Field Communication (NFC), Apple AirPlay 2		
Placement	Ceiling, Desktop				
Cable lock slot	✓				
		Connectivity technology	Wired		
		Control panel	0.67 inch with C2 Fine		
		Supported network protocols	HTTPS, SNMP, ESC/VP.net, PJLink		
		Box contents	Main unit, Power cable, Quick Start Guide, Remote control incl. batteries, User guide, Warranty document		
		Security features	Kensington lock, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, Password protection		



8715946737966

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.