



DELL PowerEdge T360 server 480 GB Tower (4.5U) Intel Xeon 6 6315P 2.8 GHz 16 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code:
EMEA_PROMO_T360_SPL3

Product name : T360

DELL PowerEdge T360. Processor family: Intel Xeon 6, Processor frequency: 2.8 GHz, Processor model: 6315P. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 480 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 700 W, Redundant power supply (RPS) support. Chassis type: Tower (4.5U)



Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x4 slots	2
Processor family *	Intel Xeon 6	Design	
Processor model *	6315P	Chassis type *	Tower (4.5U)
Processor frequency *	2.8 GHz	Product colour	Black
Processor boost frequency	5.2 GHz	Software	
Performance cores	4	Operating system installed *	✗
Processor cores	4	Compatible operating systems *	Canonical Ubuntu Server LTS
Processor cache	12 MB		Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux
Thermal Design Power (TDP)	55 W		SUSE Linux Enterprise Server VMware ESXi
Processor threads	4	Power	
Memory types supported by processor	DDR5-SDRAM	Redundant power supply (RPS) support *	✓
Memory clock speeds supported by processor	4800 MHz	Power supply *	700 W
Memory		Number of redundant power supplies supported	2
Internal memory *	16 GB	Number of redundant power supplies installed	2
Internal memory type *	DDR5-SDRAM	Power supply input voltage	200 - 240 V
Memory slots	4x DIMM	Operational conditions	
ECC	✓	Storage temperature (T-T)	-40 - 65 °C
Maximum internal memory *	128 GB	Storage relative humidity (H-H)	5 - 95%
Storage		Operating altitude	0 - 2048 m
Total storage capacity *	480 GB	Non-operating altitude	0 - 12000 m
Number of SSDs installed	1	Certificates	
SSD capacity	480 GB	80 PLUS certification	80 PLUS Titanium
SSD interface	SATA III		
SSD size	2.5"		
Supported SSD sizes	3.5"		
Number of SSDs supported	8		

Storage		Carbon footprint	
RAID support *	✓	Total carbon footprint (kg of CO2e)	1409
Supported RAID controllers	AIC PERC 11, PERC H355 Adapter FH	Total carbon emissions, standard deviation (kg of CO2e)	1213
Hot-Plug support	✓	Carbon emissions, manufacturing (kg of CO2e)	295.89
Optical drive type *	✗	Carbon emissions, logistics (kg of CO2e)	154.99
Drive writes per day (DWPD)	1	Carbon emissions, energy usage (kg of CO2e)	929.94
Storage drive adapter included	✓	Carbon emissions, end-of-life (kg of CO2e)	28.18
Storage drive adapter type	2.5" - 3.5"	PAIA version	PAIA 1.4.0, 2024
Network		Weight & dimensions	
Ethernet LAN	✓	Width	175 mm
Cabling technology	10/100/1000Base-T(X)	Depth	581.1 mm
Ethernet interface type	Gigabit Ethernet	Other features	
Ports & interfaces		Data transfer rate	6 Gbit/s
Ethernet LAN (RJ-45) ports *	2	Bytes per sector	512e
USB 2.0 ports quantity	3	Target workload	Read Intensive (RI)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
VGA (D-Sub) ports quantity	1		
Serial ports quantity	1		
Power cables quantity	2		



2000001387924

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.