

## ASUS A32 PLUS Midi Tower Black

**Brand :** ASUS

**Product code:** 90DC00S0-B19000

**Product name :** A32 PLUS

- Support GPU up to 420mm in length
  - Dual-Chamber Chassis: A32 PLUS internals are divided into two chambers, establishing independent cooling zones for the CPU and graphics cards
  - Panoramic Design: Tempered glass panels on the front and side offer unobstructed views of the main chamber
  - Broad Compatibility: The A32 PLUS supports up to 360mm radiators, plus graphics cards up to 420mm in length and CPU air coolers with heights of up to 165mm
  - Pre-installed ARGB Fans: Four ARGB fans with vibrant lighting effects help ensure balanced cooling performance
  - Front Panel USB Type-C®: The A32 PLUS front panel features a USB 10Gbps Type-C® port
- ATX/Micro-ATX/Mini-ITX, 2x USB 3.0, 1x USB 3.2 Gen 2 Type-C, 1x Headphone/Microphone



| Design                                            |                          | Cooling                              |                |
|---------------------------------------------------|--------------------------|--------------------------------------|----------------|
| Material                                          | Metal                    | Number of side fans supported (max)  | 3              |
| Form factor *                                     | Midi Tower               | Side fans diameters supported        | 120 mm         |
| Type *                                            | PC                       | Rear fans installed                  | 1x 120 mm      |
| Product colour *                                  | Black                    | Number of rear fans supported (max)  | 1              |
| Supported motherboard form factors *              | ATX, micro ATX, Mini-ITX | Rear fans diameters supported        | 120 mm         |
| Number of 3.5" bays *                             | 2                        | Number of top fans supported (max)   | 3              |
| Number of 2.5" bays                               | 3                        | Top fans diameters supported         | 120 mm         |
| Side window                                       | ✓                        | Liquid cooling capability            | ✓              |
| Suitable for                                      | Gaming                   | Rear radiator sizes supported        | 120 mm         |
| Illumination                                      | ✓                        | Top radiator sizes supported         | 120,240,360 mm |
| Illumination colour                               | Multi                    | Pulse-width modulation (PWM) support | ✓              |
| Illumination location                             | Case fans                |                                      |                |
| Tempered glass panel(s)                           | ✓                        |                                      |                |
| Anti-dust filter                                  | ✓                        |                                      |                |
| Cable management                                  | ✓                        |                                      |                |
| Reset button                                      | ✓                        |                                      |                |
| On/off button                                     | ✓                        |                                      |                |
| Maximum CPU cooler height                         | 16.5 cm                  |                                      |                |
| Maximum graphics card length                      | 42 cm                    |                                      |                |
| Maximum PSU length                                | 22 cm                    |                                      |                |
| Power supply                                      |                          | Storage                              |                |
| Power supply included *                           | ✗                        | Supported HDD sizes *                | 3.5"           |
| Supported power supply form factors               | ATX                      | SSD form factor                      | 2.5"           |
| Ports & interfaces                                |                          | Packaging content                    |                |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2                        | Manual                               | ✓              |
|                                                   |                          | Weight & dimensions                  |                |
|                                                   |                          | Width                                | 285 mm         |
|                                                   |                          | Depth                                | 435 mm         |
|                                                   |                          | Height                               | 390 mm         |
|                                                   |                          | Weight                               | 7.6 kg         |
|                                                   |                          | Packaging data                       |                |
|                                                   |                          | Package width                        | 505 mm         |
|                                                   |                          | Package depth                        | 348 mm         |

| Ports & interfaces                                |           | Packaging data |        |
|---------------------------------------------------|-----------|----------------|--------|
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1         | Package height | 480 mm |
| Combo headphone/mic port                          | ✓         | Package weight | 9.2 kg |
| Cooling                                           |           |                |        |
| Side fans installed                               | 3x 120 mm |                |        |



4711387849835

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.