



Dahua Technology WizSense IPC-HFW3549T1-ZAS-PV Bullet IP security camera Indoor & outdoor 2592 x 1944 pixels Ceiling/wall

Brand : Dahua Technology

Product family: WizSense

Product code: HFW3549T1-ZASPV27135S5-B

Product name : IPC-HFW3549T1-ZAS-PV

1/2.7" CMOS, 2960 (H) × 1668 (V), 256 MB, >56 dB

Dahua Technology WizSense IPC-HFW3549T1-ZAS-PV. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired. Mounting type: Ceiling/wall, Product colour: Black, Form factor: Bullet. Minimum illumination: 0.0003 lx, Lens viewing angle, horizontal: 113 - 36°, Lens viewing angle, vertical: 57 - 20°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Focal length range: 2.7 - 13.5 mm, Detect distance (wide): 65.2 m, Detect distance (tele): 186.6 m

Performance		Video	
Type *	IP security camera	Noise reduction	✓
Placement supported *	Indoor & outdoor	Noise reduction technology	3D noise reduction
Connectivity technology *	Wired	Privacy masking	✓
Wide Dynamic Range (WDR)	✓	Audio	
Day/night mode	✓	Built-in speaker(s)	✓
Certification	CE-LVD: EN 62368-1; CE-EMC: Electromagnetic Compatibility Directive 2014/30/EU; FCC: 47 CFR FCC Part 15, Subpart B; UL/CUL:UL62368-1 & CAN/CSA C22.2 No. 62368-1-14	Audio system	2-way
		Audio input channels	2.0 channels
		Audio output channels	2.0 channels
		Audio formats supported	G.711, G.726
		Built-in microphone	✓
Design		Audio detection	✓
Form factor *	Bullet	Network	
Mounting type *	Ceiling/wall	Ethernet LAN *	✓
Product colour *	Black	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Housing material	Metal, Plastic	Wi-Fi *	✗
International Protection (IP) code	IP67	Bluetooth *	✗
Camera		Storage	
Camera pan control	✗	Built-in HDD *	✗
Camera tilt control	✗	Card reader integrated	✓
Minimum illumination	0.0003 lx	Compatible memory cards	MicroSD (TransFlash)
Lens viewing angle, horizontal	113 - 36°	Maximum memory card size	256 GB
Lens viewing angle, vertical	57 - 20°	Internal memory	512 MB
Lens viewing angle, diagonal	137 - 40°	ROM capacity	128 MB
Tilt angle range	0 - 90°	Ports & interfaces	
Pan range	0 - 360°	Ethernet LAN (RJ-45) ports	1
White balance	Auto, Lamp, Manual, Outdoor	Security	
Camera shutter speed	1/3 - 1/100000 s	Alarm input channels	2
Adjustment shutter speed	Auto/Manual	Alarm output channels	2
Number of Privacy masking areas	4	Mirror	✓
Image sensor		Management features	
Number of sensors	1	Web-based management	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Web browser	✓
Progressive scan	✓	Power	
Sensor type *	CMOS	Power source type *	DC, PoE
Lens system		Power consumption (typical)	3.3 W
Number of lenses *	1	Power consumption (max)	7.4 W
Focal length range	2.7 - 13.5 mm		
Detect distance (wide)	65.2 m		
Detect distance (tele)	186.6 m		

Lens system		Power	
Observe distance (wide)	26.1 m	Power consumption (Power over Ethernet (PoE))	8.7 W
Observe distance (tele)	37.3 m	DC output voltage	12
Night vision		Operational conditions	
Night vision *	✓	Operating temperature (T-T)	-30 - 60 °C
Night vision distance	30 m	Storage temperature (T-T)	-30 - 60 °C
Video		System requirements	
Maximum resolution *	2592 x 1944 pixels	Mobile operating systems supported Android, iOS	
Total megapixels *	5 MP	Weight & dimensions	
Video compression formats	H.264, H.264B, H.264H, H.265	Width	94.4 mm
Supported graphics resolutions	640 x 480 (VGA), 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2592 x 1944, 2688 x 1520	Depth	288.4 mm
		Height	84.7 mm
		Weight	1.05 kg
		Packaging data	
		Package weight	1.35 kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.