

ASUS ProArt PA278QGV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : ASUS

Product family: ProArt

Product code: 90LM05L1-B01K71


Product name : PA278QGV

- 27-inch QHD (2560 x 1440) display with 178° wide-view IPS panel
 - Wide 95% DCI-P3 and 100% sRGB gamut to meet international color standards
 - Calman Verified with factory calibrated for excellent Delta E < 2 color accuracy
 - 120Hz variable refresh rate (VRR), providing creators smooth fast-rendering and comfortable viewing experience
 - Extensive connectivity including DisplayPort, HDMI and USB hub
 - ASUS Light Sync solution with Ambient Light Sensor automatically adjusts the monitor's color gamut based on ambient lighting, for true colors in any environment
 - VESA wall-mountable and ergonomic design with tilt, swivel, pivot and height adjustments for a comfortable viewing experience
 - Green Sustainability: paper packaging and energy-efficient environmental standards
- ProArt Display PA278QV Gen2 (PA278QGV) Professional Monitor – 27-inch, IPS, QHD (2560 x 1440), 95% DCI-P3, Color Accuracy ΔE < 2, Calman Verified, 120Hz, HDR-10, Light Sync, ergonomic stand, VESA MediaSync, Green Sustainability



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	DisplayPorts quantity	1
Display resolution *	2560 x 1440 pixels	DisplayPort version	1.4
HD type *	Quad HD	Headphone out *	✓
Native aspect ratio *	16:9	Headphone outputs	1
Display technology *	LCD	Headphone connectivity	3.5 mm
Panel type *	IPS	HDCP	✓
LED backlight	✓	HDCP version	1.4
Touchscreen *	✗	Ergonomics	
Display brightness (peak)	350 cd/m²	VESA mounting *	✓
Display brightness (typical)	350 cd/m²	Panel mounting interface	100 x 100 mm
Response time *	5 ms	Wall mountable	✓
Response time measurement type	GTG (Gray to Gray)	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Contrast ratio (typical) *	1500:1	Adjustable height (max)	13 cm
Contrast ratio (dynamic)	3000:1	Pivot	✓
Maximum refresh rate *	120 Hz	Pivot angle	90 - -90°
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	30 - -30°
Display number of colours *	1.073 billion colours	Tilt adjustment	✓
Pixel pitch	0.233 x 0.233 mm	Tilt angle range	23 - -5°
Viewable size, horizontal	59.7 cm	Power	
Viewable size, vertical	33.6 cm	Energy efficiency class (SDR) *	D
Digital horizontal frequency	30 - 185 kHz	Energy efficiency class (HDR) *	G
Digital vertical frequency	48 - 120 Hz	Energy consumption (SDR) per 1000 hours *	16 kWh
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		

Display		Power	
Colour depth	10 bit	Energy consumption (HDR) per 1000 hours *	31 kWh
Colour gamut standard	DCI-P3, sRGB	Power consumption (typical) *	16.94 W
sRGB coverage (typical)	100%	Power consumption (standby) *	0.5 W
DCI-P3 coverage	95%	Power consumption (off)	0.3 W
Performance		Power consumption (PowerSave)	0.5 W
NVIDIA G-SYNC *	✗	AC input voltage	100 - 240 V
AMD FreeSync *	✗	AC input frequency	50/60 Hz
VESA Adaptive Sync support	✓	Power supply type	Internal
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	612.2 mm
Number of speakers	2	Depth (with stand)	190.4 mm
RMS rated power	4 W	Height (with stand)	536.1 mm
Built-in speaker(s) *	✓	Weight (with stand)	6.4 kg
Built-in camera *	✗	Width (without stand)	612.2 mm
Design		Depth (without stand)	46.9 mm
Market positioning *	Graphics design	Height (without stand)	362.9 mm
Product colour *	Black	Weight (without stand)	4.7 kg
Detachable stand	✓	Packaging data	
Feet colour	Silver	Package width	691 mm
Ports & interfaces		Package depth	140 mm
Built-in USB hub *	✓	Package height	427 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	9.3 kg
USB Type-A downstream ports quantity	4	Package type	Box
HDMI *	✓	Packaging content	
HDMI ports quantity	1	Stand included	✓
HDMI version	2.1	Technical details	
		Native refresh rate	60 Hz



4711636032674



0199291032675



199291032675



5715328234130

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.