

Hisense HV693A65AD trauku mazgājamā mašīna Pilnībā iebūvēts 16 vietas

Zīmols : Hisense

Preces kods: HV693A65AD

Modeļa nosaukums : HV693A65AD

Hisense HV693A65AD. Ierīces novietojums: Pilnībā iebūvēts, Preces izmērs: Pilna lieluma (60 cm), Vadības paneļa krāsa: Pelēks. Vietu skaits: 16 vietas, Trokšņu emisijas klase: B, Trokšņu līmenis: 41 dB. Energoefektivitātes klase: A, Ūdens patēriņš cikla laikā: 9,5 L, Enerģijas patēriņš 100 ciklos: 49 kWh. Platums: 598 mm, Dziļums: 555 mm, Augstums: 816 mm. Hisense tehnoloģijas (trauku mazgāšana): Anti Flood Protection, Auto Dose, autoDry



Dizains		Enerģijas pārvaldība	
Ierīces novietojums *	Pilnībā iebūvēts	Energoefektivitātes skala	A līdz G
Preces izmērs *	Pilna lieluma (60 cm)	Energoefektivitātes klase *	A
Gatavība paneļa pielāgošanai *	✓	Enerģijas patēriņš ciklā	0,49 kWh
Durvju krāsa *	Nav piemērojams	Ūdens patēriņš cikla laikā *	9,5 L
Vadības paneļa krāsa	Pelēks	Enerģijas patēriņš 100 ciklos *	49 kWh
Kontroles tips	Ar pieskārienu	Jaudas patēriņš (standby)	0,49 W
Iebūvēta displeja *	✓	Mainstrāvas ievades spriegums	220 - 240 V
Grozu skaits	3 siets/ sieti	Energoefektivitātes indekss (EEL)	28
Darbības rādītāji		Mazgāšanas efektivitātes indekss (ES Regula 2017/1369)	1,121
Trokšņu līmenis *	41 dB	Žāvēšanas efektivitātes indekss (ES Regula 2017/1369)	1,061
Trauku mazgātāja programmas *	Auto, Eco, Higiēna, Intensīvs, Nakts, Ātrs	Svars&dimensijas	
Vietu skaits *	16 vietas	Dziļums	555 mm
Mazgāšanas programmu skaits *	7	Augstums	816 mm
Trokšņu emisijas klase *	B	Svars	32 kg
Žāvēšanas veiktspēja	B	Uzstādīšanas nodalījuma platums	60 cm
Skaits temperatūras iestatījumus	7	Uzstādīšanas nodalījuma augstums (min)	82 cm
Temperatūra (maks) *	70 °C	Platums *	598 mm
Cikla laiks *	280 min	Zīmolam raksturīgas iezīmes	
Atliktā starta taimeris	✓	Hisense tehnoloģijas (trauku mazgāšana)	Anti Flood Protection, Auto Dose, autoDry
Palaišanas aizture (min.)	0 h	Informācija par iepakojumu	
Atceltais starts	24 h	Iepakojuma platums	640 mm
Fāzes apvērseja tehnoloģija	✓		

Ergonomika		Informācija par iepakojumu	
Automātiska durvju atvēršana	✓	lepakojuma dziļums	665 mm
Automātiskā mazgāšanas līdzekļa noteikšana	✓	lepakojuma augstums	880 mm
Paštīrošais filtrs	✓	lepakojuma svars	33,8 kg
Iekšpusē gaismas	✓		
Wi-Fi kontrolējams	✓		



3838782957949

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.