



**Product code:** C9373A

Original HP Ink – Vibrant Prints. Reliable.

Designed for **72**

Yellow 120ml e8

HP Single Office Ink Cartridge  
Compatible with HP Office Jet 7200 series

120ml

HP 72 130-ml Yellow DesignJet Ink Cartridge:



## WORKS WITH

### THESE HP PRINTERS:



HP DesignJet T610/T620  
Printer series



HP DesignJet T770/T790  
Printer series



HP DesignJet T990/T995  
Printer series



HP DesignJet T1100/T1120  
MFP series



HP DesignJet T1100/T1120  
Printer series



HP DesignJet T1200/T1200  
MFP Printer series



HP DesignJet T1300  
Printer series




HP DesignJet T1706  
Printer series



HP DesignJet T2200  
MFP Printer series

| Performance                       |                                                                                                                                                                                                                                                                     | Logistics data                        |                                                                          |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------------------------------------------------------------|
| Compatibility *                   | HP DesignJet T610 Printer series, T620 Printer series, T770 Printer series, T1100 Printer series, T1200 Printer series; HP DesignJet T1200 HD Multifunction Printer; HP DesignJet T2300 eMFP; HP DesignJet T790 ePrinter series; HP DesignJet T1300 ePrinter series | Master (outer) cases per pallet       | 84 pc(s)                                                                 |
|                                   |                                                                                                                                                                                                                                                                     | Pallet dimensions (W x D x H)         | 1219 x 1016 x 1500 mm                                                    |
|                                   |                                                                                                                                                                                                                                                                     | Products per pallet                   | 1680 pc(s)                                                               |
|                                   |                                                                                                                                                                                                                                                                     | Layers per pallet                     | 6 pc(s)                                                                  |
|                                   |                                                                                                                                                                                                                                                                     | Pallet size (EU)                      | 1219 x 1016 x 1500 mm                                                    |
| Print technology                  | Thermal inkjet                                                                                                                                                                                                                                                      | Pallet gross weight                   | 463 kg                                                                   |
| Printing colours                  | Yellow                                                                                                                                                                                                                                                              | Products per master (outer) case      | 20 pc(s)                                                                 |
| OEM code                          | C9373A                                                                                                                                                                                                                                                              | Master (outer) case gross weight      | 5.28 kg                                                                  |
| Country of origin                 | Singapore                                                                                                                                                                                                                                                           | Quantity per pack                     | 1 pc(s)                                                                  |
|                                   |                                                                                                                                                                                                                                                                     | Harmonized System (HS) code           | 84439990                                                                 |
| Weight & dimensions               |                                                                                                                                                                                                                                                                     | Technical details                     |                                                                          |
| Width                             | 202 mm                                                                                                                                                                                                                                                              | Box contents                          | Ink cartridge                                                            |
| Depth                             | 40 mm                                                                                                                                                                                                                                                               | Total carbon footprint (kg of CO2e)   | 0.8                                                                      |
| Height                            | 129 mm                                                                                                                                                                                                                                                              | Other EU Hazard statement(s)          | EUH208: Contains sensitizing substance. May produce an allergic reaction |
| Weight                            | 192 g                                                                                                                                                                                                                                                               |                                       |                                                                          |
| Packaging data                    |                                                                                                                                                                                                                                                                     | Master (outer) cases per pallet layer | 14 pc(s)                                                                 |
| Package width                     | 202 mm                                                                                                                                                                                                                                                              | Other features                        |                                                                          |
| Package depth                     | 40 mm                                                                                                                                                                                                                                                               | UNSPSC-code                           | 44103105                                                                 |
| Package height                    | 129 mm                                                                                                                                                                                                                                                              |                                       |                                                                          |
| Package weight                    | 240 g                                                                                                                                                                                                                                                               |                                       |                                                                          |
| Operational conditions            |                                                                                                                                                                                                                                                                     |                                       |                                                                          |
| Operating temperature (T-T)       | 15 - 35 °C                                                                                                                                                                                                                                                          |                                       |                                                                          |
| Operating relative humidity (H-H) | 20 - 80%                                                                                                                                                                                                                                                            |                                       |                                                                          |
| Storage temperature (T-T)         | 15 - 35 °C                                                                                                                                                                                                                                                          |                                       |                                                                          |



8087367798216



0807027516640



807027516640



5051964034698




5704327574996



0778889384046



778889384046



5052916438939



0735029214953



735029214953



0182682412965



182682412965



0748214001719



748214001719



4053162281431



0808736779821



808736779821



0883585273416




883585273416



5051749587319



4250783521490



0195908628781



195908628781



0196188561225




196188561225



0196188561232



196188561232



0196188561249



196188561249



0196188561256



196188561256



0196188561263



196188561263

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.