



DELL SE2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product code: DELL-SE2426H

Product name : SE2426H

- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS
- 8ms, 16:9, 300cd/m², 1000:1
- HDMI
- 60.5cm (23.8") Full HD 1920 x 1080 Edge LED IPS, 16:9, 300cd/m², 16.7M, 8ms, 178°/178°, 1000:1

DELL SE2426H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black:

Breeze through everyday tasks on this 23.8-inch monitor with 144Hz refresh rate, 1ms Moving Picture Response Time (MPRT), and TÜV 3-star certification for eye comfort.

DELL SE2426H. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt angle range	-5 - 21°
Display resolution *	1920 x 1080 pixels	On Screen Display (OSD)	✓
HD type *	Full HD	Plug and Play	✓
Native aspect ratio *	16:9	Power	
Display technology *	LCD	Energy efficiency class (SDR) *	D
Panel type *	IPS	Energy efficiency class (HDR) *	Not available
LED backlight	✓	Energy consumption (SDR) per 1000 hours *	13 kWh
Backlight type	Edge LED	Power consumption (typical) *	13.3 W
Touchscreen *	✗	Power consumption (standby) *	0.3 W
Display brightness (typical)	300 cd/m ²	Power consumption (max)	28 W
Response time *	8 ms	Power consumption (off)	0.3 W
Response time (MPRT)	1 ms	AC input voltage	100 - 240 V
Anti-glare screen	✓	AC input frequency	50/60 Hz
Screen shape *	Flat	Power supply type	Internal
Supported graphics resolutions	720 x 400, 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)	Energy efficiency scale	A to G
		Operational conditions	
Supported video modes	480p, 576p, 720p, 1080p	Operating temperature (T-T)	0 - 40 °C
Contrast ratio (typical) *	1000:1	Storage temperature (T-T)	-20 - 60 °C
Maximum refresh rate *	144 Hz	Operating relative humidity (H-H)	10 - 80%
Viewing angle, horizontal	178°	Storage relative humidity (H-H)	5 - 90%
Viewing angle, vertical	178°	Operating altitude	0 - 5000 m
Display number of colours *	16.7 million colours	Non-operating altitude	5000 - 12192 m
Response time (fast)	4 ms	Weight & dimensions	
Pixel pitch	0.2745 x 0.2745 mm	Width (with stand)	538.6 mm
Pixel density	93 ppi	Depth (with stand)	178.8 mm
Viewable size, horizontal	52.7 cm	Height (with stand)	412.3 mm
Viewable size, vertical	29.6 cm	Weight (with stand)	3.09 kg
Digital horizontal frequency	30 - 163 kHz	Width (without stand)	538.6 mm
Digital vertical frequency	48 - 144 Hz	Depth (without stand)	47.7 mm
Surface hardness	3H	Height (without stand)	324.2 mm
NTSC coverage (typical)	72%	Weight (without stand)	2.76 kg
		Bezel width (side)	5.8 mm

Performance			Weight & dimensions	
NVIDIA G-SYNC *	✗		Bezel width (top)	5.8 mm
AMD FreeSync *	✓		Bezel width (bottom)	1.74 cm
AMD FreeSync type	FreeSync		Packaging data	
Flicker-free technology	✓		Package weight	4.94 kg
Low Blue Light technology	✓		Packaging content	
Multimedia			Stand included	✓
Built-in speaker(s) *	✗		Cables included	AC, HDMI
Built-in camera *	✗		HDMI cable length	1.8 m
Design			Sustainability	
Market positioning *	Office		Sustainability certificates	ENERGY STAR
Product colour *	Black		Doesn't contain	PVC/BFR, Arsenic, Mercury
Detachable stand	✓		Carbon footprint	
Feet colour	Black		Total carbon footprint (kg of CO2e)	143
Ports & interfaces			Carbon emissions, manufacturing (kg of CO2e)	65.64
Built-in USB hub *	✗		Carbon emissions, logistics (kg of CO2e)	9.3
HDMI *	✓		Carbon emissions, energy usage (kg of CO2e)	65.64
HDMI ports quantity	2		Carbon emissions, end-of-life (kg of CO2e)	2.57
HDMI version	1.4		PAIA version	GaBi version 1, 2025
Headphone out *	✗		Other features	
HDCP	✓		Compliance certificates	RoHS
HDCP version	1.4			
Ergonomics				
VESA mounting *	✓			
Panel mounting interface	100 x 100 mm			
Wall mountable	✓			
Cable management	✓			
Cable lock slot *	✓			
Cable lock slot type	Kensington			
Height adjustment *	✗			
Tilt adjustment	✓			



5397321028727



0884116692058



884116692058

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.