

## ASUS ProArt PA278CGRV computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LCD Silver

**Brand :** ASUS

**Product family:** ProArt

**Product code:** 90LM06Q1-B01K71

**Product name :** PA278CGRV

27" QHD 2560 x 1440 IPS, 1500:1, 144Hz, 5ms(GTG), DisplayPort, HDMI, USB-C, 20W, 100-240V, 50/60Hz

ASUS ProArt PA278CGRV computer monitor 68.6 cm (27") 2560 x 1440 pixels Wide Quad HD LCD Silver:

**ASUS ProArt Display PA278CGRV Professional Monitor - 27-inch, IPS, 144Hz, QHD (2560 x 1440), 97% DCI-P3, Color Accuracy  $\Delta E < 2$ , Calman Verified, USB-C PD 96W, Light Sync, Auto KVM, Ergonomic Stand, VESA DisplayHDR 400, ASUS DisplayWidget Center, Green Sustainability**

### All the Essentials for Pros

ProArt Display PA278CGRV is a 27-inch IPS QHD monitor tailored for creative professionals. 97% DCI-P3 color gamut, factory calibration to Delta E < 2, and Calman Verified for superb color accuracy. It features a 144 Hz VRR with AMD FreeSync for ultra-smooth visuals and introduces the new M Model color temperature for consistent P3 color on MacBooks. With DisplayPort, HDMI, plus USB-C port offers DisplayPort support and enables superfast data transfers and 96-watt power delivery via a single cable. It ensures seamless connectivity for all your creative needs.



5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



\*Ürününüzü kaydetmek için QR kodu okutunuz.

| Display                            |                       | Ports & interfaces       |              |
|------------------------------------|-----------------------|--------------------------|--------------|
| Display diagonal *                 | 68.6 cm (27")         | USB Power Delivery up to | 96 W         |
| Display resolution *               | 2560 x 1440 pixels    | HDMI *                   | ✓            |
| HD type *                          | Wide Quad HD          | HDMI ports quantity      | 1            |
| Native aspect ratio *              | 16:9                  | HDMI version             | 2.1          |
| Display technology *               | LCD                   | DisplayPorts quantity    | 2            |
| Panel type *                       | IPS                   | DisplayPort version      | 1.4          |
| LED backlight                      | ✓                     | Headphone out *          | ✓            |
| Touchscreen *                      | ✗                     | Headphone outputs        | 1            |
| Display brightness (peak)          | 400 cd/m <sup>2</sup> | Headphone connectivity   | 3.5 mm       |
| Display brightness (typical)       | 350 cd/m <sup>2</sup> | Built-in KVM switch      | ✓            |
| Response time *                    | 5 ms                  | HDCP                     | ✓            |
| Response time measurement type     | GTG (Gray to Gray)    | HDCP version             | 1.4          |
| Anti-glare screen                  | ✓                     | <b>Ergonomics</b>        |              |
| Screen shape *                     | Flat                  | VESA mounting *          | ✓            |
| Contrast ratio (typical) *         | 1500:1                | Panel mounting interface | 100 x 100 mm |
| Contrast ratio (dynamic)           | 3000:1                | Wall mountable           | ✓            |
| Maximum refresh rate *             | 144 Hz                | Cable lock slot *        | ✓            |
| Viewing angle, horizontal          | 178°                  | Cable lock slot type     | Kensington   |
| Viewing angle, vertical            | 178°                  | Height adjustment *      | ✓            |
| Display number of colours *        | 1.073 billion colours | Adjustable height (max)  | 13 cm        |
| Pixel pitch                        | 0.233 x 0.233 mm      | Pivot                    | ✓            |
| Pixel density                      | 109 ppi               | Pivot angle              | 90 - -90°    |
| Viewable size, horizontal          | 59.7 cm               | Swivelling               | ✓            |
| Viewable size, vertical            | 33.6 cm               | Swivel angle range       | 30 - -30°    |
| Digital horizontal frequency       | 31 - 223 kHz          | Tilt adjustment          | ✓            |
| Digital vertical frequency         | 48 - 144 Hz           | Tilt angle range         | 23 - -5°     |
| Display diagonal (metric)          | 69 cm                 |                          |              |
| High Dynamic Range (HDR) supported | ✓                     |                          |              |

| Display                               |                                               | Power                                     |                                                                    |
|---------------------------------------|-----------------------------------------------|-------------------------------------------|--------------------------------------------------------------------|
| High Dynamic Range (HDR) technology   | High Dynamic Range 10 (HDR10), DisplayHDR 400 | Energy efficiency class (SDR) *           | D                                                                  |
| Colour gamut standard                 | sRGB, DCI-P3                                  | Energy efficiency class (HDR) *           | G                                                                  |
| sRGB coverage (typical)               | 100%                                          | Energy consumption (SDR) per 1000 hours * | 17 kWh                                                             |
| DCI-P3 coverage                       | 97%                                           | Energy consumption (HDR) per 1000 hours * | 39 kWh                                                             |
| Performance                           |                                               | Power consumption (typical) *             | 20 W                                                               |
| NVIDIA G-SYNC *                       | ✗                                             | Power consumption (standby) *             | 0.5 W                                                              |
| AMD FreeSync *                        | ✓                                             | Power consumption (off)                   | 0.3 W                                                              |
| VESA Adaptive Sync support            | ✓                                             | Power consumption (PowerSave)             | 0.5 W                                                              |
| Flicker-free technology               | ✓                                             | AC input voltage                          | 100 - 240 V                                                        |
| Low Blue Light technology             | ✓                                             | AC input frequency                        | 50/60 Hz                                                           |
| Multimedia                            |                                               | Power supply type                         | Internal                                                           |
| Number of speakers                    | 2                                             | Energy efficiency scale                   | A to G                                                             |
| RMS rated power                       | 4 W                                           | Weight & dimensions                       |                                                                    |
| Built-in speaker(s) *                 | ✓                                             | Width (with stand)                        | 612.2 mm                                                           |
| Built-in camera *                     | ✗                                             | Depth (with stand)                        | 190.4 mm                                                           |
| Design                                |                                               | Height (with stand)                       | 536.1 mm                                                           |
| Market positioning *                  | Professional                                  | Weight (with stand)                       | 6.6 kg                                                             |
| Product colour *                      | Silver                                        | Width (without stand)                     | 612.2 mm                                                           |
| Detachable stand                      | ✓                                             | Depth (without stand)                     | 46.9 mm                                                            |
| Feet colour                           | Silver                                        | Height (without stand)                    | 362.9 mm                                                           |
| Ports & interfaces                    |                                               | Weight (without stand)                    | 4.7 kg                                                             |
| Built-in USB hub *                    | ✓                                             | Packaging data                            |                                                                    |
| USB hub version                       | 3.2 Gen 1 (3.1 Gen 1)                         | Package width                             | 691 mm                                                             |
| USB upstream port type                | USB Type-C                                    | Package depth                             | 140 mm                                                             |
| Number of upstream ports              | 2                                             | Package height                            | 427 mm                                                             |
| Number of downstream ports            | 4                                             | Package weight                            | 9.4 kg                                                             |
| USB Type-A downstream ports quantity  | 3                                             | Package type                              | Box                                                                |
| USB Type-C downstream ports quantity  | 1                                             | Packaging content                         |                                                                    |
| USB Type-C DisplayPort Alternate Mode | ✓                                             | Stand included                            | ✓                                                                  |
| USB Power Delivery (USB PD)           | ✓                                             | Sustainability                            |                                                                    |
|                                       |                                               | Sustainability certificates               | ENERGY STAR, EPEAT Gold, TCO, Forest Stewardship Council (FSC) Mix |
|                                       |                                               | Technical details                         |                                                                    |
|                                       |                                               | Native refresh rate                       | 60 Hz                                                              |



4711636229456



0199291229464



199291229464

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.