

## ASUS ProArt OLED PA279CDV computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, Silver

**Brand :** ASUS

**Product family:** ProArt OLED

**Product code:** 90LM06M0-B01K71

**Product name :** PA279CDV

ProArt Display OLED PA279CDV Professional Monitor – 27-inch (26.5-inch viewable), 4K UHD (3840 x 2160), QD-OLED, 120Hz, HDR10, 99% DCI-P3, ΔE < 1.5, Calman Verified, USB-C with 96W Power Delivery, Auto KVM, Ergonomic Stand, ASUS DisplayWidget Center, Green sustainability, Optimized for Mac

ASUS ProArt OLED PA279CDV computer monitor 67.3 cm (26.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black, Silver:

### All The Pro Essentials For Every Creator

ProArt Display OLED PA279CDV is a 26.5-inch 4K UHD QD-OLED professional monitor designed for content creators, video editors, and color-critical workflows. It features 1000-nit peak brightness, 99% DCI-P3 color gamut, Delta E < 1.5 factory calibrated, ensuring highly-accurate colors and exceptionally-detailed visuals. Its 120Hz refresh rate enables creators to develop fast-rendering games and perform artwork quality checks on a single display. The monitor also features an anti-scratch film that provides up to 2.5x better protection compared to previous-gen OLED panels.



| Display                             |                                                          | Ports & interfaces                        |              |
|-------------------------------------|----------------------------------------------------------|-------------------------------------------|--------------|
| Display diagonal *                  | 67.3 cm (26.5")                                          | DisplayPort version                       | 1.4          |
| Display resolution *                | 3840 x 2160 pixels                                       | Headphone out *                           | ✓            |
| HD type *                           | 4K Ultra HD                                              | Headphone outputs                         | 1            |
| Native aspect ratio *               | 16:9                                                     | Headphone connectivity                    | 3.5 mm       |
| Display technology *                | QD-OLED                                                  | Built-in KVM switch                       | ✓            |
| Panel type *                        | OLED                                                     | HDCP                                      | ✓            |
| Backlight type                      | QD                                                       | HDCP version                              | 2.2          |
| Touchscreen *                       | ✗                                                        | <b>Ergonomics</b>                         |              |
| Display brightness (typical)        | 250 cd/m²                                                | VESA mounting *                           | ✓            |
| Response time *                     | 0.1 ms                                                   | Panel mounting interface                  | 100 x 100 mm |
| Response time measurement type      | GTG (Gray to Gray)                                       | Wall mountable                            | ✓            |
| Anti-glare screen                   | ✓                                                        | Cable lock slot *                         | ✓            |
| Screen shape *                      | Flat                                                     | Cable lock slot type                      | Kensington   |
| Contrast ratio (typical) *          | 1500000:1                                                | Height adjustment *                       | ✓            |
| Contrast ratio (dynamic)            | 1500000:1                                                | Adjustable height (max)                   | 13 cm        |
| Maximum refresh rate *              | 120 Hz                                                   | Pivot                                     | ✓            |
| Viewing angle, horizontal           | 178°                                                     | Pivot angle                               | -90 - 90°    |
| Viewing angle, vertical             | 178°                                                     | Swivelling                                | ✓            |
| Display number of colours *         | 1.073 billion colours                                    | Swivel angle range                        | -30 - 30°    |
| Pixel pitch                         | 0.153 x 0.153 mm                                         | Tilt adjustment                           | ✓            |
| Pixel density                       | 166 ppi                                                  | Tilt angle range                          | -5 - 23°     |
| Viewable size, horizontal           | 59 cm                                                    | <b>Power</b>                              |              |
| Viewable size, vertical             | 33.3 cm                                                  | Energy efficiency class (SDR) *           | F            |
| Digital horizontal frequency        | 31 - 275 kHz                                             | Energy efficiency class (HDR) *           | F            |
| Digital vertical frequency          | 48 - 120 Hz                                              | Energy consumption (SDR) per 1000 hours * | 22 kWh       |
| High Dynamic Range (HDR) supported  | ✓                                                        |                                           |              |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10), DisplayHDR 400 True Black |                                           |              |

| Display                               |                       | Power                                     |                                     |
|---------------------------------------|-----------------------|-------------------------------------------|-------------------------------------|
| Colour gamut standard                 | DCI-P3, sRGB          | Energy consumption (HDR) per 1000 hours * | 24 kWh                              |
| sRGB coverage (typical)               | 100%                  | Power consumption (typical) *             | 26.54 W                             |
| DCI-P3 coverage                       | 99%                   | Power consumption (standby) *             | 0.5 W                               |
| Performance                           |                       | Power consumption (off)                   | 0.3 W                               |
| NVIDIA G-SYNC *                       | ✗                     | Power consumption (PowerSave)             | 0.5 W                               |
| AMD FreeSync *                        | ✗                     | AC input voltage                          | 100 - 240 V                         |
| VESA Adaptive Sync support            | ✓                     | AC input frequency                        | 50/60 Hz                            |
| Flicker-free technology               | ✓                     | Power supply type                         | Internal                            |
| Low Blue Light technology             | ✓                     | Energy efficiency scale                   | A to G                              |
| Multimedia                            |                       | Weight & dimensions                       |                                     |
| Number of speakers                    | 2                     | Width (with stand)                        | 612.1 mm                            |
| RMS rated power                       | 4 W                   | Depth (with stand)                        | 202.1 mm                            |
| Built-in speaker(s) *                 | ✓                     | Height (with stand)                       | 525.8 mm                            |
| Built-in camera *                     | ✗                     | Weight (with stand)                       | 5.6 kg                              |
| Design                                |                       | Width (without stand)                     | 612.1 mm                            |
| Market positioning *                  | Professional          | Depth (without stand)                     | 39.8 mm                             |
| Product colour *                      | Black, Silver         | Height (without stand)                    | 360.9 mm                            |
| Detachable stand                      | ✓                     | Weight (without stand)                    | 3.6 kg                              |
| Feet colour                           | Silver                | Packaging data                            |                                     |
| Ports & interfaces                    |                       | Package width                             | 691 mm                              |
| Built-in USB hub *                    | ✓                     | Package depth                             | 427 mm                              |
| USB hub version                       | 3.2 Gen 1 (3.1 Gen 1) | Package height                            | 140 mm                              |
| USB Type-A downstream ports quantity  | 3                     | Package weight                            | 8.4 kg                              |
| USB Type-C downstream ports quantity  | 1                     | Package type                              | Box                                 |
| USB Type-C DisplayPort Alternate Mode | ✓                     | Packaging content                         |                                     |
| USB Power Delivery (USB PD)           | ✓                     | Stand included                            | ✓                                   |
| USB Power Delivery up to              | 96 W                  | Other features                            |                                     |
| HDMI *                                | ✓                     | Warranty period                           | 3 year(s)                           |
| HDMI ports quantity                   | 1                     | Certification                             | Mac Compliance FSC MIX Calman       |
| HDMI version                          | 2.1                   |                                           | Verified VESA MediaSync Display     |
| DisplayPorts quantity                 | 2                     |                                           | VESA DisplayHDR 400 True Black      |
|                                       |                       |                                           | TÜV Low Blue Light TÜV Flicker-free |
|                                       |                       |                                           | Energy Star                         |
|                                       |                       | Technical details                         |                                     |
|                                       |                       | Native refresh rate                       | 60 Hz                               |



4711636393034



0199291335271



199291335271

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.