

## ASUS ROG Rapture GT-BE98 bezvadu rūteris 10 Gigabit Ethernet Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz) Melns

**Zīmols :** ASUS

**Preces kods:** 90IG08F0-MO9A3V

**Modeļa nosaukums :** ROG Rapture GT-BE98

ASUS ROG Rapture GT-BE98. Wi-Fi josla: Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz), Wi-Fi standarts: Wi-Fi 7 (802.11be), WLAN datu pārraides ātrums (maks.): 11529 Mbit/s. Ethernet LAN saskarnes tips: 10 Gigabit Ethernet, Ethernet LAN datu pārsūtīšanas ātrums: 10,100,1000,2500,10000 Mbit/s, VPN atbalsts: VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPsec VPN.... Drošības algoritma atbalsts: SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK, WPS. Produkta veids: Galda rūteris, Produkta krāsa: Melns, LED indikatori: LAN, Jauda, WAN. Pievienoti kabeli: LAN (RJ-45)



| WAN savienojums                                  |                                                                                                          | Drošība                     |                                                                                         |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------|
| Ethernet WAN *                                   | ✓                                                                                                        | Drošības algoritma atbalsts | SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Enterprise, WPA3-PSK, WPS |
| SIM kartes slots *                               | ✗                                                                                                        |                             |                                                                                         |
| 3G/4G USB modema saderība *                      | ✓                                                                                                        |                             |                                                                                         |
| Bezvadu LAN īpašības                             |                                                                                                          | Firewall                    | ✓                                                                                       |
| Wi-Fi josla *                                    | Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz)                                                          | Vecākvadība                 | ✓                                                                                       |
|                                                  |                                                                                                          | MAC adreses filtrēšana      | ✓                                                                                       |
| Wi-Fi standarts *                                | Wi-Fi 7 (802.11be)                                                                                       | Sistēmas notikumu žurnāls   | ✓                                                                                       |
| WLAN datu pārraides ātrums (maks.) *             | 11529 Mbit/s                                                                                             | DMZ atbalsts                | ✓                                                                                       |
| Wi-Fi standartu                                  | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be) | Protokoli                   |                                                                                         |
|                                                  |                                                                                                          | DHCP serveris               | ✓                                                                                       |
| WLAN datu pārraides ātrums (pirmā josla)         | 1376 Mbit/s                                                                                              | Dizains                     |                                                                                         |
| WLAN datu pārraides ātrums (otrā josla)          | 5764 Mbit/s                                                                                              | Produkta krāsa              | Melns                                                                                   |
| WLAN datu pārraides ātrums (trešā josla)         | 5764 Mbit/s                                                                                              | LED indikatori              | LAN, Jauda, WAN                                                                         |
| WLAN datu pārraides ātrums (ceturtais diapazons) | 11529 Mbit/s                                                                                             | Integrēts on/off slēdzis    | ✓                                                                                       |
| Modulācija                                       | 4096-QAM                                                                                                 | Produkta veids *            | Galda rūteris                                                                           |
| Tīklošana                                        |                                                                                                          | Iepakojuma saturs           |                                                                                         |
| Ethernet/LAN savienojums *                       | ✓                                                                                                        | Pievienoti kabeli           | LAN (RJ-45)                                                                             |
| Ethernet LAN saskarnes tips *                    | 10 Gigabit Ethernet                                                                                      | AC adapteris komplektā      | ✓                                                                                       |
| Ethernet LAN datu pārsūtīšanas ātrums            | 10,100,1000,2500,10000 Mbit/s                                                                            | Garantijas karte            | ✓                                                                                       |
| Dinamiskais DNS (DDNS)                           | ✓                                                                                                        | Ātrās startēšanas gids      | ✓                                                                                       |
| Viesu tīklu skaits (2,4 GHz)                     | 5                                                                                                        | Antena                      |                                                                                         |
| Viesu tīklu skaits (5 GHz)                       | 5                                                                                                        | Antenas forma *             | Ārējs                                                                                   |
|                                                  |                                                                                                          | Antenu daudzums             | 8                                                                                       |
| Īpašības                                         |                                                                                                          | Iebūvētais procesors        |                                                                                         |
|                                                  |                                                                                                          |                             | ✓                                                                                       |

| Tīklošana                                            |                                                                                                                                                               | Īpašības                      |             |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|
| Samba (krātuve) atbalsts                             | ✓                                                                                                                                                             | Procesora takts frekvence     | 2600 MHz    |
| Mediju serveris                                      | ✓                                                                                                                                                             | Multikodola tips              | 4           |
| VPN atbalsts                                         | VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion | Iekšējā atmiņa                | 2000 MB     |
|                                                      |                                                                                                                                                               | Zibatmiņa                     | 256 MB      |
|                                                      |                                                                                                                                                               | Energijas pārvaldība          |             |
|                                                      |                                                                                                                                                               | Barošanas avota veids *       | AC          |
| Savienojamība                                        |                                                                                                                                                               | Maiņstrāvas ievades spriegums | 110 - 240 V |
| Ethernet LAN (RJ-45) pieslēgvietu skaits *           | 6                                                                                                                                                             | Maiņstrāvas ievades frekvence | 50/60 Hz    |
| USB pieslēgvietā *                                   | ✓                                                                                                                                                             | Izejas spriegums              | 19.5 V      |
| USB 2.0 pieslēgvietu skaits                          | 1                                                                                                                                                             | Izejas strāva                 | 3,33 A      |
| USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits | 1                                                                                                                                                             | Svars&dimensijas              |             |
| Vadības īpašības                                     |                                                                                                                                                               | Platums                       | 350,4 mm    |
| Quality of Service (QoS) atbalsts                    | ✓                                                                                                                                                             | Dziļums                       | 350,4 mm    |
| Ieslēgšanās pie signāla no LAN                       | ✓                                                                                                                                                             | Augstums                      | 220,6 mm    |
| Atiestātes poga                                      | ✓                                                                                                                                                             | Svars                         | 2 kg        |
| WPS poga                                             | ✓                                                                                                                                                             | Informācija par iepakojumu    |             |
| MU-MIMO tehnoloģija                                  | ✓                                                                                                                                                             | Iepakojuma platums            | 384 mm      |
|                                                      |                                                                                                                                                               | Iepakojuma dziļums            | 383 mm      |
|                                                      |                                                                                                                                                               | Iepakojuma augstums           | 141 mm      |
|                                                      |                                                                                                                                                               | Iepakojuma svars              | 4,85 kg     |



4711636529396

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.