

Neomounts FPMA-D550BLACK monitora stiprinājums un statīvs 81,3 cm (32") Galds Melns

Zīmols : Neomounts

Preces kods: FPMA-D550BLACK

Modeļa nosaukums : FPMA-D550BLACK

Neomounts FPMA-D550BLACK. Montāža: Skava / starplika, Maksimālais svars (tilpums): 8 kg, Minimālais iespējamais ekrāna izmērs: 25,4 cm (10"), Maksimālais iespējamais ekrāna izmērs: 81,3 cm (32"), Montāžas saskarnes saderība (min): 75 x 75 mm, Montāžas saskarnes saderība (max): 100 x 100 mm. Augsta koriģēšana, Šarnīrsavienojums: 0 - 180°, Slīpuma leņķis: 0 - 90°. Produkta krāsa: Melns



Neomounts

Montāža		Ergonomika	
Maksimālais svars (tilpums) *	8 kg	Šarnīrsavienojuma leņķis	180°
Minimālais iespējamais ekrāna izmērs *	25,4 cm (10")	Šarnīrsavienojums	0 - 180°
Atbalstītais ekrānu skaits *	1	Rotācijas leņķis	360°
Maksimāla celjspēja (katram monitoram) *	8 kg	Uzlabota kabeļu pārvaldība	✓
Dizains			
Maksimālais iespējamais ekrāna izmērs *	81,3 cm (32")	Apvalka materiāls	Tērauds
Montāža	Skava / starplika	Produkta krāsa *	Melns
Uzstādīšanas tips *	Galds	Svars&dimensijas	
Montāžas saskarnes saderība (min) *	75 x 75 mm	Dziļums	40 mm
Montāžas saskarnes saderība (max) *	100 x 100 mm	Augstums	548 mm
VESA-wall mounting system saderīgs	100 x 100,75 x 75 mm	Svars	3,32 kg
Galda biezums (min)	1 cm	Informācija par iepakojumu	
Galda biezums (max)	8,8 cm	Iepakojuma platums	180 mm
Attālums līdz sienai (min)	4 cm	Iepakojuma dziļums	120 mm
Attālums līdz sienai (max)	46 cm	Iepakojuma augstums	489 mm
		Iepakojuma svars	3,8 kg
Ergonomika		Papildus informācija	
Augsta koriģēšana	✓	VESA stiprinājums	✓
Augstuma regulēšanas diapazons	0 - 440 mm	Loģistiskie dati	
Pielāgojams dziļums	✓	Originālās kastes platums	375 mm
Dziļuma regulēšanas diapazons	40 - 460 mm	Kastes garums (Master)	260 mm
Slīpuma leņķis	0 - 90°	Originālās kastes augstums	505 mm
Grozišana	✓	Kastes svars (Master)	15,2 kg
		Daudzums Master kastē	4 pcs
		Izcelsmes valsts	Kīna
		Galvenās kārbas neto svars	2,8 kg

Logistiskie dati

Harmonizētās sistēmas (HS) kods	7326909890
Eiropaletes, daudzums	96 pcs



8717371446390

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.