

Epson WorkForce ES-50

Brand : Epson

Product family: WorkForce

Product code: B11B252401

Product name : WorkForce ES-50

WorkForce ES-50

Epson WorkForce ES-50:

The ES-50 is easy to use, set up and transport with its space-saving design, powered by the included single USB cable via your laptop or PC. It's ideal for small office or home office environments (SOHO) with limited space where a simple scanning solution is required.

Scan anywhere

The compact design and USB connectivity make it easy to use the ES-50 wherever it's needed.

Highly organised

Epson's new ScanSmart software makes it effortless for anyone to scan how they want, providing an easy-to-use step by step scanning solution. Users can save and send files in common formats like PDF, JPEG, TIFF and many more. Continuous scanning with automatic feed mode speeds up the scanning process, while the CIS sensor delivers instant scanning with no warm up time.

Flexible

The ability to scan a wide range of document and media types makes this model a reliable asset. It handles paper from 35gsm to 270gsm, and long paper up to 1.8 metres.



Scanning		Packaging content	
Optical scanning resolution *	600 x 600 DPI	Bundled software	Epson Scan 2, Epson ScanSmart
Colour scanning	✓	System requirements	
Duplex scanning *	✗	Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 10 (32/64 bit), Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP
Input colour depth	48 bit		
Output colour depth	24 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Scan speed (b/w, low res, A4)	5.5 sec/page	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Scan speed (colour, low res, A4)	5.5 sec/page		
Design		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Scanner type *	Handheld scanner		
Product colour *	Black		
Built-in display *	✗	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2016
Performance			
Sensor type *	CIS		
Daily duty cycle (max) *	300 pages		
Scan drivers	TWAIN, SANE, WIA, ICA	Operational conditions	
Input capacity		Operating temperature (T-T)	5 - 35 °C
Standard input capacity	1 sheets	Storage temperature (T-T)	-25 - 60 °C
Auto document feeder (ADF) input capacity	1 sheets	Operating relative humidity (H-H)	10 - 85%
		Storage relative humidity (H-H)	10 - 90%
Paper handling		Other features	
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Output resolutions	600 DPI
Maximum ISO A-series paper size *	A4	Image formats supported	JPEG
ISO A-series sizes (A0...A9)	A4, A5, A6, A7, A8	Linear scan speed (metric)	Monochrome:5.5 s/page - Color:5.5 s/page measured with Size: A4 , Resolution: 200 / 300 dpi
ISO B-series sizes (B0...B9)	B5, B6		

Paper handling		Other features			
Letter	✓	Printer features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening		
Legal	✓				
Paper tray media weight	35 - 270 g/m²				
Auto Document Feeder (ADF) media weight	35 - 270 g/m²				
Ports & interfaces		Scanner features	One keypress, RGB colour dropout, Skip blank page, Punch holes removal, Advanced editing, Pre-defined scanning settings, Automatic area segmentation, Automatic de-skew, Automatic B/W colour original detection, RGB colour enhance, Dual Image Output (Windows only), Auto-rotation, Text enhancement, Edge fill, Advanced cropping feature for Auto size, Descreening		
USB port *	✓				
USB version	2.0				
Standard interfaces	USB 2.0				
Power		Box contents	Cleaning Sheets, USB cable, User guide		
Power supply type *	USB				
Weight & dimensions				Interface	Hi-Speed USB - compatible with USB 2.0 specification
Width	272 mm				
Depth	47 mm				
Height	34 mm				
Weight	270 g	Technical details			
Packaging data		Scan technology	ReadyScan LED		
Quantity per pack	1 pc(s)	Data compression	JPEG compression		
Package width	140 mm	Logistics data			
Package depth	330 mm	Products per pallet	360 pc(s)		
Package height	65 mm	Country of origin	China		
Package weight	550 g	Pallet gross weight	0 g		
Packaging content		Master (outer) case length	360 mm		
Cables included	USB	Master (outer) case height	320 mm		
Drivers included	✓	Master (outer) case width	350 mm		
		Master (outer) case gross weight	0 g		
		Pallet gross length	120 cm		
		Pallet gross width	80 cm		
		Pallet gross height	171 cm		
		Products per master (outer) case	10 pc(s)		
		Products per pallet layer	60 pc(s)		
		Products per pallet layer (UK)	60 pc(s)		
		Products per pallet (UK)	360 pc(s)		
		Pallet weight (UK)	0 g		
		Pallet length (UK)	120 cm		
		Pallet width (UK)	100 cm		
		Pallet height (UK)	171 cm		
		Master (outer) case GTIN (EAN/UPC)	8715946656922		
		Harmonized System (HS) code	84716070		



8715946656908

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.