



ICY BOX IB-1817Ma-C31 SSD enclosure Silver M.2

Brand : ICY BOX

Product code: 60612

Product name : IB-1817Ma-C31

- **ROBUST:** A special aluminium alloy makes this enclosure very stable and protects it from external damage. Excellent heat dissipation is achieved through an elegant cooling fin design
- **VERSATILE:** All common lengths of NVMe SSDs are supported by the enclosure (22x30/42/60/80). So you don't have to rely on just one length, but can decide variably
- **VERY FAST:** USB 3.1 (Gen 2) enables transfer rates of up to 10 Gbit/s. Your data is transferred super fast. So your data is transferred super fast. This case can also be used for a mobile operating system
- **COOLING:** The heat inside the heat sink is ideally conducted to the outside of the enclosure via the heat sink and the silicone heat pad. This keeps the NVMe SSD cool even under full load
- **SAFE:** The enclosure has a write protection switch on the front. This ensures that data can be read, but it is not possible to change it

Enclosure for 1x NVMe with USB 3.1 (Gen 2) Type-C and Type-A interface



Universal compatibility

Supports Windows®/macOS®



Storage		Power	
Number of storage drives supported *	1	Power source type	USB
Storage drive size *	M.2	System requirements	
Supported storage drive interfaces *	PCI Express 3.0	Windows operating systems supported	✓
Supported storage drive heights	22 mm	Mac operating systems supported	✓
Supported storage drive lengths	30,42,60,80 mm	Weight & dimensions	
Maximum storage capacity	2 TB	Width	39 mm
Ports & interfaces		Depth	103 mm
USB connectivity *	✓	Height	15 mm
USB version	3.2 Gen 2 (3.1 Gen 2)	Weight	122 g
USB connector type	USB Type-C	Cable length	0.2 m
USB connector gender	Female	Package width	300 mm
USB ports quantity	1	Package depth	500 mm
Design		Package height	220 mm
Product type *	SSD enclosure	Package weight	220 g
Product colour *	Silver	Packaging content	
Material	Aluminium	Cables included	USB Type-A to USB Type-C, USB Type-C
LED indicators	✓	Screws included	✓
Performance		Screwdriver included	✓
Data transfer rate	10 Gbit/s	Manual	✓
Chipset	JMS583		
Plug and Play	✓		

Performance		Logistics data	
Country of origin	Taiwan	Harmonized System (HS) code	84718000
		Products per master (outer) case	40 pc(s)



4250078169536

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.