



## LG 22SM3G-B Digital signage display 54.6 cm (21.5') IPS Wi-Fi 250 cd/m<sup>2</sup> Full HD Black Built-in processor 16/7

Brand : LG

Product code: 22SM3G-B

**Product name :** 22SM3G-B Digital signage display 54.6 cm (21.5') IPS Wi-Fi 250 cd/m<sup>2</sup> Full HD Black Built-in processor 16/7

- Brightness(Typ.) : 250 cd/m<sup>2</sup>
- Bezel : 16.3mm
- Depth : 53.8mm
- Interface : HDMI(2) / USB 2.0 / RS232C / RJ45 / IR / Audio
- USB Plug & Play, Built-in Wi-Fi

22SM3G-B, 21.5", IPS, 1920 x 1080 (FHD), 250 cd/m<sup>2</sup>, USB Plug & Play, Built-in Wi-Fi

LG 22SM3G-B Digital signage display 54.6 cm (21.5') IPS Wi-Fi 250 cd/m<sup>2</sup> Full HD Black Built-in processor

16/7. Product design: Digital signage flat panel. Display diagonal: 54.6 cm (21.5"), Display technology:

IPS, Display resolution: 1920 x 1080 pixels, Display brightness: 250 cd/m<sup>2</sup>, HD type: Full HD. Wi-Fi.

Operating hours (hours/days): 16/7. Product colour: Black



| Display                     |                            | Power                             |             |
|-----------------------------|----------------------------|-----------------------------------|-------------|
| Display diagonal *          | 54.6 cm (21.5")            | Power consumption (sleep)         | 1 W         |
| Display technology *        | IPS                        | Power consumption (off)           | 0.5 W       |
| Display resolution *        | 1920 x 1080 pixels         | AC input voltage                  | 100 - 240 V |
| Display brightness *        | 250 cd/m <sup>2</sup>      | AC input frequency                | 50 - 60 Hz  |
| HD type *                   | Full HD                    | Heat dissipation                  | 7.89 BTU/h  |
| Touchscreen *               | ✗                          | Computer system                   |             |
| Native aspect ratio         | 16:9                       | Computer system *                 | ✗           |
| Contrast ratio (typical)    | 1000:1                     | Built-in processor *              | ✓           |
| Contrast ratio (dynamic)    | 400000:1                   | Processor cores                   | 4           |
| Viewing angle, horizontal   | 178°                       | Internal memory                   | 4 GB        |
| Viewing angle, vertical     | 178°                       | Weight & dimensions               |             |
| Display diagonal (metric)   | 55.88 cm                   | Width                             | 510.3 mm    |
| Ports & interfaces          |                            | Depth                             | 53.8 mm     |
| HDMI ports quantity *       | 2                          | Height                            | 302.1 mm    |
| DVI port *                  | ✗                          | Weight                            | 3.34 kg     |
| USB port *                  | ✓                          | Packaging data                    |             |
| USB ports quantity          | 1                          | Package width                     | 565 mm      |
| USB version                 | 2.0                        | Package depth                     | 103 mm      |
| Ethernet LAN (RJ-45) ports  | 1                          | Package height                    | 357 mm      |
| Audio (L/R) in              | 1                          | Package weight                    | 3.5 kg      |
| RS-232 interface            | ✓                          | Packaging content                 |             |
| RS-232C                     | ✓                          | Remote control included           | ✓           |
| Audio                       |                            | Batteries included                | ✓           |
| Built-in speaker(s) *       | ✓                          | Cables included                   | AC          |
| Number of built-in speakers | 2                          | Mounting kit                      | ✓           |
| RMS rated power             | 2 W                        | Operational conditions            |             |
| Design                      |                            | Operating temperature (T-T)       | 0 - 40 °C   |
| Product design *            | Digital signage flat panel | Operating relative humidity (H-H) | 10 - 80%    |
| Orientation                 | Horizontal                 | Storage temperature (T-T)         | -20 - 60 °C |
| Product colour *            | Black                      | Storage relative humidity (H-H)   | 5 - 85%     |
| VESA mounting *             | ✓                          |                                   |             |
| Panel mounting interface    | 100 x 100 mm               |                                   |             |

| Performance                   |           | Certificates                |                                       |
|-------------------------------|-----------|-----------------------------|---------------------------------------|
| Purpose *                     | Universal | Certification               | CB, NRTL, EMC, FCC Class "A", CE, ErP |
| Operating hours (hours/days)  | 16/7      |                             |                                       |
| Power                         |           | Logistics data              |                                       |
| Power consumption (typical) * | 33 W      | Harmonized System (HS) code | 85285210                              |
| Power consumption (standby) * | 30 W      |                             |                                       |
| Network                       |           |                             |                                       |
|                               |           | Ethernet LAN *              | ✓                                     |
|                               |           | Wi-Fi *                     | ✓                                     |



8806098661039



0719192636200



719192636200



8806098661060



8806098694228

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.