

ZYXEL

Zyxel GS1100-16 Nepārvaldīts Gigabit Ethernet (10/100/1000)

Zīmols : Zyxel

Preces kods: GS1100-16-EU0103F

Modeļa nosaukums : GS1100-16


Zyxel GS1100-16. Slēdža tips: Nepārvaldīts. Basic switching RJ-45 Ethernet portu veids: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet portu daudzums: 16. Adrešu tabulas izmērs: 8000 ieraksti, Komutācijas ietilpība: 32 Gbit/s. Tīkla standarts: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z. Pie sienas piestiprināms, Statņa montāža



Vadības īpašības		Energijas pārvaldība	
Slēdža tips *	Nepārvaldīts	Barošanas avotu skaits	1
Savienojamība		Maiņstrāvas ievades spriegums	100 - 240 V
Basic switching RJ-45 Ethernet portu daudzums *	16	Maiņstrāvas ievades frekvence	50 - 60 Hz
Basic switching RJ-45 Ethernet portu veids *	Gigabit Ethernet (10/100/1000)	Strāvas patēriņš (maks)	10 W
Tīklošana		Power over Ethernet (PoE)	
Tīkla standarts *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) *	×
10G atbalsta *	×	Ārējās vides apstākļi	
Kabeļu tipi, kas ir atbalstīti	Cat3, Cat4, Cat5, Cat5e, Cat6	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Plūsmas kontroles atbalsts	✓	Uzglabāšanas temperatūras amplitūda (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Darbības relatīvā mitruma amplitūda	10 - 90%
Aktīvā linka noteikšana	✓	Uzglabāšanas relatīvā mitruma amplitūda	10 - 95%
Datu pārraide		Karstuma izkliedēšana	32,86 BTU/h
Komutācijas ietilpība *	32 Gbit/s	Svars&dimensijas	
Pakešu apstrādes jauda	23,8 miljons pakešu sekundē	Platums	215 mm
Adrešu tabulas izmērs *	8000 ieraksti	Dziļums	133 mm
Jumbo Frames atbalsts	✓	Augstums	42 mm
Jumbo rāmji	9216	Svars	900 g
Pakešu buferatmiņa	0,5 MB	Iepakojuma saturs	
Dizains		Pievienoti kabeļi	AC
Statņa montāža *	✓	Statīva montēšanas piederumi	✓
LED indikatori	Aktivitāte, Link, Jauda	Informācija par iepakojumu	
Pie sienas piestiprināms	✓	Iepakojuma tips	Kaste
Elektromagnētiskā savietojamība	CE, FCC, RCM, ICES-003, BSMI	Sertifikāti	
Darbības rādītāji		Sertifikācija	LVD, BSMI RoHS, REACH
Bez ventilatora	✓	Loģistiskie dati	
Vidējais laiks starp kļūmēm (MTBF)	1156942 h	Harmonizētās sistēmas (HS) kods	85176990

Enerģijas pārvaldība

Strāvas barošana iekļauta * 



4718937614066

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.