

Whirlpool AKR 62F LT K Настенный монтаж Черный 650 м³/h

Производитель : Whirlpool

Код товара: 859991629320

Модель : AKR 62F LT K

Whirlpool AKR 62F LT K. Максимальная мощность извлечения: 650 м³/h, Тип извлечения: Отвод / Рециркуляция воздуха, Класс эффективности гидродинамики: A. Тип: Настенный монтаж, Цвет товара: Черный, Материал корпуса: Стекло, Металл. Тип масляного фильтра: Алюминий. Мощность лампочки: 1,5 W, Количество ламп: 2 лампа(ы), Тип лампы: LED. Класс энергоэффективности: A, Годовое потребление энергии: 46,9 кВт·ч, Шкала классов энергоэффективности: от A+++ до D



Производительность		Фильтрация	
Максимальная мощность извлечения *	650 м³/h	Тип масляного фильтра *	Алюминий
Тип извлечения *	Отвод / Рециркуляция воздуха	Фильтр можно мыть в посудомоечной машине	✓
Класс эффективности гидродинамики *	A	Освещение	
Класс эффективности освещения *	A	Мощность лампочки	1,5 W
Класс эффективности фильтрации жира *	D	Количество ламп	2 лампа(ы)
Максимальная мощность рециркуляции	580 м³/h	Тип лампы	LED
Число скоростей *	4	Положение подсветки	Спина
Интенсивная скорость	✓	Lighting efficiency (LE)	60,1 lux/W
Уровень шума *	65 dB	Энергопитание	
Уровень шума (низкая скорость)	52 dB	Класс энергоэффективности *	A
Уровень шума (высокая скорость)	65 dB	Шкала классов энергоэффективности	от A+++ до D
Уровень шума (интенсивная скорость)	65 dB	Подключенная нагрузка	233 W
Воздушный поток (низкая скорость)	275 м³/h	Мощность мотора	230 W
Дизайн		Потребляемая мощность (в режим ожидания)	0,49 W
Тип *	Настенный монтаж	Годовое потребление энергии *	46,9 кВт·ч
Цвет товара *	Черный	Входящее напряжение сети	220 - 240 V
Материал корпуса	Стекло, Металл	Частота входящего переменного тока	50 Hz
Тип управления	Сенсорный	Сила тока	1,2 A
Длина шнура	1,5 m	Класс энергоэффективности (старый)	A
Встроенный экран *	✗	Вес и размеры	
Расположение выходного отверстия	Верх	Ширина *	598 mm
Диаметр штуцера для отвода воздуха	15 cm	Глубина	326 mm
		Высота (мин)	80 cm
		Высота (макс)	103,5 cm
		Высота без дымохода	32,5 cm

Дизайн		Вес и размеры	
Число двигателей	1	Chimney height	70 cm
Мотор в комплекте	✓	Вес	14 kg
		Прочие свойства	
		Grease filtering efficiency (GFE)	65,1%
		Fluid dynamic efficiency (FDE)	29,9



8003437621406

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.