

Chieftec EON barošanas avotu vienība 600 W 20+4 pin ATX ATX Melns

Zīmols : Chieftec

Preču ģimene: EON

Preces kods: ZPU-600S

Modeļa nosaukums : EON

Chieftec EON . Kopējā jauda: 600 W, Maiņstrāvas ievades spriegums: 200 - 240 V, Maiņstrāvas ievades frekvence: 50 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, Mātesplates barošanas vada garums: 65 cm, SATA strāvas kabeļa garums: 450,600,750 mm. Mērķis, rezultāts: PC/serveris, Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS. Produkta krāsa: Melns, Ventilatora diametrs: 12 cm. Platums: 150 mm, Dziļums: 140 mm, Augstums: 86 mm



Enerģijas pārvaldība

Kopējā jauda *	600 W
Maiņstrāvas ievades spriegums *	200 - 240 V
Maiņstrāvas ievades frekvence	50 Hz
Ieejas strāva	4.5 A
Maksimālā ieejas strāva (@ 220V)	4,5 A
Jaudas koeficients	0,9
Strāvas faktora korekcija (PFC) veids	Aktīvs
Kopējā strāva (-12V)	4,8 W
Kopējā strāva (+5Vsb)	12,5 W
Maksimālā izvades strāva (+3.3V)	20 A
Maksimālā izvades strāva (+12V1)	45 A
Maksimālā izvades strāva (+5V)	20 A
Maksimālā izvades strāva (-12V)	0,4 A
Maksimālā izvades strāva (+5Vsb)	2,5 A
Jaudas aizsardzības apraksts	Īssavienojums, Pārspriegums un strāvas izsitieni, Pārsprieguma aizsardzība

Savienojamība

Mātesplates strāvas konektors *	20+4 pin ATX
Mātesplates barošanas vada garums	65 cm
SATA strāvas savienotāju skaits	4

Savienojamība

SATA strāvas kabeļa garums	450,600,750 mm
Perifērālā (Molex) strāvas kabeļa garums	450,600,750 mm
EPS barošanas konektors (4+4 kontakti)	✓
PCI Express strāvas konektors (6+2 tapu)	2
CPU barošanas savienotājs (4 + 4 pin)	✓
ATX barošanas savienotājs (20 + 4 pin)	✓
Kabeļu tips	Nemodulārs

Darbības rādītāji

80 PLUS sertifikācija *	80 PLUS
Atbalstāmie mātesplates formas faktori	ATX
Mērķis, rezultāts *	PC/serveris
Strāvas padeves bloka (PSU) formas faktors *	ATX
ATX versija	2.3

Dizains

Produkta krāsa	Melns
Ventilatora diametrs	12 cm
Integrēts on/off slēdzis	✓

Svars&dimensijas

Platums	150 mm
Dziļums	140 mm
Augstums	86 mm
Svars	1,34 kg

Logistiskie dati

Garantijas periods

2 gads(i)



0753263078438



753263078438

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.