




XPG COREREACTOR II 850W barošanas avotu vienība 20+4 pin ATX ATX Balts

Zīmols : XPG

Preces kods: 75261350

Modeļa nosaukums : COREREACTOR II 850W

XPG COREREACTOR II 850W. Kopējā jauda: 850 W, Maiņstrāvas ievades spriegums: 100 - 240 V, Maiņstrāvas ievades frekvence: 47 - 63 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, Kabeļu tips: Pilnībā modulāra uzbūve. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS Gold. Produkta krāsa: Balts, Dzesēšanas tips: Aktīvs, Ventilatora diametrs: 12 cm. Sertifikācija: CE | CB| FCC(IC) | TUV | cTUVus | TUV S-Zeichen | NOM | BSMI | UKCA | EAC | CCC | RCM



Energijas pārvaldība		Savienojamība	
Kopējā jauda *	850 W	ATX Power savienotājs	✓
Maiņstrāvas ievades spriegums *	100 - 240 V	ATX barošanas savienotājs (12+4 kontakti)	✓
Maiņstrāvas ievades frekvence	47 - 63 Hz	Kabeļu tips	Pilnībā modulāra uzbūve
Ieejas strāva	12 A	Darbības rādītāji	
Jaudas koeficients	0,99	80 PLUS sertifikācija *	80 PLUS Gold
Maksimālā izvades strāva (+3.3V)	22 A	Mērķis, rezultāts *	PC (dators)
Maksimālā izvades strāva (+12V)	62,5 A	Strāvas padeves bloka (PSU) formas faktors *	ATX
Maksimālā izvades strāva (+5V)	22 A	ATX versija	3.0
Maksimālā izvades strāva (-12V)	0,3 A	EPS versija	2.92
Maksimālā izvades strāva (+5Vsb)	3 A	Dzesētāja ass tips	FDB
Jaudas aizsardzības apraksts	Pārstrāva, Pārslodze, Pārspriegums, Īssavienojums, Surge & inrush protection (SIP), Zem sprieguma	Vidējais laiks starp kļūmēm (MTBF)	100000 h
Savienojamība		Dizains	
Mātesplates strāvas konektors *	20+4 pin ATX	Produkta krāsa	Balts
SATA strāvas savienotāju skaits	8	Dzesēšanas tips	Aktīvs
Perifērās (Molex) strāvas savienotāji (4-pin) *	4	Ventilatora diametrs	12 cm
EPS barošanas savienotājs (8-pin)	✓	Ventilatoru skaits	1 ventilators/ ventilatori
PCI Express strāvas konektors (6+2 tapu)	6	Sertifikāti	
		Sertifikācija	CE CB FCC(IC) TUV cTUVus TUV S-Zeichen NOM BSMI UKCA EAC CCC RCM
		Svars&dimensijas	
		Platums	140 mm
		Dziļums	150 mm
		Augstums	86 mm
		Svars	1,6 kg

Informācija par iepakojumu

iepakošanas svars	3,1 kg
-------------------	--------



4711085944702



0842243031041



842243031041

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.