

Samsung QE98C Plakans digitālā displeja panelis 2,49 m (98") LCD Wi-Fi 450 cd/m² 4K Ultra HD Melns Tizen 6.5 16/7

Zīmols : Samsung

Preces kods: LH98QECEDGCXEN

Modeļa nosaukums : QE98C



Samsung QE98C. Produkta dizains: Plakans digitālā displeja panelis. Displeja diagonāle: 2,49 m (98"), Ekrāna tehnoloģija: LCD, Ekrāna izšķirtspēja: 3840 x 2160 pikseli, Ekrāna spilgtums: 450 cd/m², HD veids: 4K Ultra HD. Wi-Fi. Eksploatācijas ilgums (stundas/dienas): 16/7. Nodrošināta operētājsistēma: Tizen 6.5. Produkta krāsa: Melns

Displejs		Dizains	
Paneļa veids	VA	VESA stiprinājums *	✓
LED fona apgaismojums	✓	VESA-wall mounting system	600 x 400 mm
LED aizmugures apgaismojums veids	Edge-LED	saderīgs	
Darbības rādītāji		Energijas pārvaldība	
Displeja diagonāle *	2,49 m (98")	Mērķis, rezultāts *	Universāls
Ekrāna tehnoloģija *	LCD	Eksploatācijas ilgums (stundas/dienas)	16/7
Ekrāna izšķirtspēja *	3840 x 2160 pikseli	Datorsistēma	
Ekrāna spilgtums *	450 cd/m²	Nodrošināta operētājsistēma	Tizen 6.5
HD veids *	4K Ultra HD	Svars&dimensijas	
Skārienjūtīgais ekrāns *	✗	Displeja platums	2180,6 mm
Projektorā formātu attiecība	16:9	Ekrāna dziļums	48,4 mm
Atbildes laiks	8 ms	Ekrāna augstums	1243,9 mm
Kontrasta attiecība (tipiskā)	5000:1	Ekrāna svars	65,8 kg
Skata leņķis, horizontāli	178°	Informācija par iepakojumu	
Skata leņķis, vertikāli	178°	Iepakojuma platums	2379 mm
Displeja krāsu skaits	16,7 miljoni krāsu	Iepakojuma dziļums	350 mm
Pikseļa iestatne	0,562 x 0,562 mm	Iepakojuma augstums	1431 mm
Aktīvais displeja laukums (P x A)	1214,35 x 2158,85 mm	Iepakojuma svars	87,8 kg
Displeja diagonāle (metriskajā sistēmā)	247,65 cm	Ārējās vides apstākļi	
Krāsas piesātinājums	93%	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Savienojamība		Darbības relatīvā mitruma amplitūda	10 - 80%
HDMI pieslēgvietu skaits *	4	Tīklošana	
HDMI versija	2.0	Ethernet/LAN savienojums *	✓
DVI pieslēgvietā *	✗	Wi-Fi *	✓
USB pieslēgvietā *	✓	Wi-Fi standartu	Wi-Fi 5 (802.11ac)
USB pieslēgvietu skaits	2		
USB versija	2.0		
RS-232 interfeiss	✓		
Audio			
Iebūvēti skaļruņi *	✓		
RMS nominālā jauda	40 W		
Audio izvades kanāli	2.2 kanāli		

Dizains		Papildus informācija	
Produkta dizains *	Plakans digitālā displeja panelis	RS-232 ieejas porti	1
Produkta krāsa *	Melns	RJ-45 ievades porti	1



8806095751160



8592978612740

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.