



iiyama ProLite XB2797QSNP-W1 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD White

Brand : iiyama

Product family: ProLite

Product code: XB2797QSNP-W1

Product name : XB2797QSNP-W1

27" QHD monitor with USB-C docking, KVM and LAN - everything you need in a single display
iiyama ProLite XB2797QSNP-W1. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Display surface: Matt, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: White



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	2560 x 1440 pixels	Cable management	✓
HD type *	Quad HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	15 cm
Touchscreen *	✗	Pivot	✓
Display brightness (typical)	350 cd/m²	Swivelling	✓
Response time (MPRT)	1 ms	Swivel angle range	-60 - 60°
Display surface	Matt	Tilt adjustment	✓
Screen shape *	Flat	On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Russian, Ukrainian
Contrast ratio (typical) *	1000:1		
Contrast ratio (dynamic)	80000000:1		
Maximum refresh rate *	75 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Pixel pitch	0.233 x 0.233 mm		
Horizontal scan range	30 - 112 kHz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.5 cm		
sRGB coverage (typical)	100%		
NTSC coverage (typical)	72%		
Performance		Power	
NVIDIA G-SYNC *	✗	Energy efficiency class (SDR) *	E
AMD FreeSync *	✓	Energy efficiency class (HDR) *	Not available
Flicker-free technology	✓	Energy consumption (SDR) per 1000 hours *	21 kWh
		Power consumption (typical) *	21 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Power supply type	Internal
		Weight & dimensions	
		Width (with stand)	613 mm
		Depth (with stand)	209.5 mm
		Height (with stand)	547.5 mm
		Weight (with stand)	5.9 kg
		Height (without stand)	403.5 mm

Multimedia		Packaging data	
Number of speakers	2	Package width	691 mm
RMS rated power	4 W	Package depth	142 mm
Built-in speaker(s) *	✓	Package height	447 mm
Built-in camera *	✗	Package weight	8 kg
		USB cable length	1.5 m
Design		Packaging content	
Market positioning *	Home	Cables included	AC, USB, HDMI, USB Type-C
Product colour *	White	HDMI cable length	1.5 m
Ports & interfaces		Power cable length	1.5 m
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability certificates	ErP, TCO
USB upstream port type	USB Type-C	Other features	
Number of downstream ports	4	User controls	podešavanje slike (osvetljenje, kontrast, ECO, ACR, OD, MBR, adaptivna sinhronizacija), podešavanja boja (i-Style boja, RGB opseg, temperatura boja, korisnička podešavanja), OSD (horizontalna pozicija OSD-a, vertikalna pozicija OSD-a, rotacija OSD-a, vreme OSD-a, pozadina OSD-a, DDC/CI kontrola, informacije o ekranu), jezik, dodatno 1 (oštrina, podešavanje video režima, početni logo, LED lampica za napajanje, USB punjenje, brzina USB-C-a, MST DP-izlaz), dodatno 2 (prečica, Mac adresa, verzija firmvera), KVM (HDMI, DisplayPort, USB-C), izbor ulaza, podešavanja zvuka (jačina zvuka, isključivanje zvuka), resetovanje (resetovati sve?)
Number of USB Type-C upstream ports quantity	1		
USB Power Delivery (USB PD)	✓		
USB Power Delivery up to	96 W		
HDMI *	✓		
HDMI ports quantity	1		
DisplayPorts quantity	1		
DisplayPort out quantity	1		
Headphone out *	✓		
Built-in KVM switch	✓		
HDCP	✓		
Network			
Ethernet LAN	✓		
Ergonomics			
VESA mounting *	✓	Packaging content	quick start guide, safety guide
		Weight	5.9 kg
		Width	613 mm
		Depth	209.5 mm
		Control panel	Džojstik: Uključivanje/Meni (Central), Gore/Izbor signala, Dole, Levo/Prečica, Desno/Jačina zvuka
		Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
		Manufacturer warranty	5 years (for details and eligible countries please check the Warranty section of our website)
		Ethernet LAN (RJ-45) ports	1
		Technical details	
		Native refresh rate	60 Hz



4948570125951

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.