

Sharp MultiSync M652 Digital signage flat panel 139.7 cm (55") LCD 550 cd/m² 4K Ultra HD Black Touchscreen

Brand : Sharp

Product code: PNM652

Product name : MultiSync M652

- Unhindered readability – no reflections from windows or other light sources means no disruption to the visibility of signage content or meeting room presentation
- Wide colour gamut – high-performance panel technology delivers a wider spectrum of colours for a superb visual experience
- Safe for public environments – a metal back cover and intelligent heat management ensure safe use in public spaces where fire-retardancy is mandatory
- Enhanced imaging performance – advanced settings of all relevant visual parameters allow full control of brightness, colour, gamma and uniformity via the SpectraView Engine for precise, natural images
- Mission-critical 24/7 ready operation – the meticulous selection of industrial-grade components and careful design focused on demanding usage scenarios accompany an impressive and continuous viewer experience

LCD 65", 550 cd/m², 3840 x 2160, 16:9, ≥ 8000:1, 72% of NTSC, 100-240 V AC; 50/60 Hz; 1454.5 x 832.4 x 59.5 mm

Display		Design	
Panel type	IPS	Screen shape	Flat
LED backlight	✓	VESA mounting *	✓
LED backlighting type	Direct-LED	Panel mounting interface	400 x 400 mm
Display diagonal *	139.7 cm (55")	Bezel width (bottom)	1.39 cm
Display technology *	LCD	Bezel width (side)	1.1 cm
Display resolution *	3840 x 2160 pixels	Bezel width (top)	1.1 cm
Display brightness *	550 cd/m²	Bezel colour	Black
HD type *	4K Ultra HD	Mounting type	Wall
Touchscreen *	✓	Performance	
Native aspect ratio	16:9	Purpose *	Universal
Response time	8 ms	HDCP	✓
Contrast ratio (typical)	8000:1	HDCP version	2.2
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	105 W
Display number of colours	1.073 billion colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.315 x 0.315 mm	Energy efficiency class (SDR)	G
Active display area (W x H)	1428.5 x 803.5 mm	Energy efficiency class (HDR)	G
Display diagonal (metric)	163.9 cm	Energy consumption (SDR) per 1000 hours	135 kWh
Horizontal scan range	15 - 135 kHz	AC input voltage	100 - 240 V
Vertical scan range	23 - 76 Hz	AC input frequency	50/60 Hz
Native refresh rate	60 Hz	Energy efficiency scale	A to G
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	3	Display width	1454.5 mm
HDMI input ports quantity	2	Display depth	59.5 mm
HDMI output ports quantity	1	Display height	832.4 mm
DVI port *	✗	Display weight	26 kg
DisplayPorts quantity *	2	Packaging data	
DisplayPorts in	1	Package width	1620 mm
DisplayPorts out	1	Package depth	185 mm
DisplayPort version	1.2	Package height	950 mm
USB port *	✓	Package weight	35 kg
USB ports quantity	4	Operational conditions	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Operating temperature (T-T)	0 - 40 °C
USB connector type	USB Type-A, USB Type-C	Operating relative humidity (H-H)	20 - 80%
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2		



Ports & interfaces		Operational conditions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2	Storage temperature (T-T)	-20 - 60 °C
Ethernet LAN (RJ-45) ports	1	Storage relative humidity (H-H)	10 - 80%
Audio (L/R) out	1	Certificates	
RS-232C	✓	Certification	RoHS, CE, UL/C-UL or CSA, FCC Class B
Remote (IR) input	1	Network	
Audio		Ethernet LAN *	✓
Built-in speaker(s) *	✓	Ethernet LAN data rates	100 Mbit/s
Number of built-in speakers	2	Wi-Fi *	✗
RMS rated power	20 W	Technical details	
Design		Warranty period	3 year(s)
Product design *	Digital signage flat panel	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UL, cUL
Placement supported *	Indoor	Other features	
Orientation	Horizontal/Vertical	Power supply type	Internal
Product colour *	Black		



4550556130998



0074000703315



074000703315

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.