



LG InstaView™ GSXE91EVAD American Style Smart Fridge Freezer - Essence Black Steel - D Rated

Brand : LG

Product family: InstaView

Product code:
GSXE91EVAD.AEVQEUR

Product name : LG InstaView™
GSXE91EVAD American Style
Smart Fridge Freezer - Essence
Black Steel - D Rated

- InstaView™
- Door-In-Door™
- Linear Cooling™
- DoorCooling+™
- Smart Inverter Compressor
- ThinQ™ WiFi with Smart Learner

LG InstaView™ GSXE91EVAD American Style Smart Fridge Freezer - Essence Black Steel - D Rated

LG InstaView™ GSXE91EVAD American Style Smart Fridge Freezer - Essence Black Steel - D Rated.

Appliance placement: Freestanding, Product design: American door, Product colour: Black. Total net capacity: 628 L, Climate class: T, Noise emission class: B. Fridge net capacity: 407 L, Fridge temperature range: 1 - 7 °C, Lamp type: LED. Freezer net capacity: 221 L, Freezer position: Side-placed, Freezing capacity: 12 kg/24h. Fresh zone compartment gross capacity: 45 L, Fresh zone compartment net capacity: 44 L



Design		Freezer	
Appliance placement *	Freestanding	Freezer number of compressors	1
Product design *	American door	Freezer number of doors	1
Product colour *	Black	Fresh zone	
Colour name	Essence Black Steel	Fresh zone compartment *	✓
Number of doors *	3 door(s)	Fresh zone compartment gross capacity	45 L
Custom panel-ready	✗	Fresh zone compartment net capacity	44 L
Door-in-Door function	✓	Ergonomics	
Child lock	✓	Beverage door	✓
Control type	Touch	Door open alarm	✓
Built-in display *	✓	Temperature alarm	✓
Display type	LED	Auto-close system	✗
Display placement	Inside	Castor wheels	✓
Touchscreen	✗	Adjustable feet	✓
Refrigerating medium	R600a	Defrost water drain	✗
Shelves material	Tempered glass	High temperature indication	✓
Adjustable shelves	✗	Cord length	1.9 m
Shelf finish type	Metallic frame	Bluetooth	✗
Adjustable humidity drawer	✗	Wi-Fi	✓
Door balconies material	Plastic	Apps supported	LG ThinQ
Number of compressors	1	Web browser	✗
Door handle(s) note	Pocket	Hose extender compatible	✗
Chrome wire wine rack	✓	Power	
Door hinge	Left/right	Energy efficiency scale	A to G
Counter depth	✗	Energy efficiency class *	D
Recessed handle(s)	✓		
Door gasket type	Push-in gasket		
Flame-retardant back	✓		

Design		Power	
Door hinge type	Fixed hinge	Annual energy consumption *	276 kWh
Ventilation	✓	Energy efficiency index (EEI)	79
Performance		Weight & dimensions	
Total net capacity *	628 L	Width *	913 mm
Cooling system	Dynamic (fan-assisted)	Depth *	735 mm
Climate class *	T	Height *	1790 mm
Noise emission class *	B	Depth without handle	73.5 cm
Noise level *	35 dB	Width with door open	163.5 cm
Water dispenser *	✓	Depth with door open	118 cm
Dispenser placement	Thru the door	Weight *	142 kg
Water supply type	Water tank	Installation compartment width	101.3 cm
Water tank capacity	4.3 L	Installation compartment depth	78.5 cm
Water filter	✗	Installation compartment height	184 cm
Icemaker *	✓	Packaging data	
Ice dispenser	✓	Package dimensions (WxDxH)	972 x 770 x 1891 mm
Ice crushing	✓	Package volume	1415300 cm³
Air filter	✗	Package width	972 mm
Anti-odor filter	✗	Package depth	770 mm
Holiday function	✓	Package height	1891 mm
Triple Cooling system	✗	Package weight	151.7 kg
Twin Cooling System	✗	Brand-specific features	
Inverter technology	✓	LG technologies (food storage)	DoorCooling+™, InstaView™ Door-in-Door™, LINEARCooling™, Metal Fresh, Multi-Air Flow, Smart Diagnosis, Smart Inverter Compressor™, ThinQ, Total No Frost, UVNano™
Ionizer	✗		
Minimum operating temperature	16 °C		
Maximum operating temperature	43 °C		
Fridge		Certificates	
Fridge net capacity *	407 L	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
No Frost (fridge) *	✓	Packaging content	
Automatic defrost (fridge)	✓	Batteries included	✗
No Frost+ (fridge)	✗	Supplier features	
Multi-Airflow system (fridge) *	✓	Product or Article Information Sheet available?	✓
Fridge number of shelves/baskets *	4	Technical details	
Number of vegetable drawers *	2	PSTI certified	✓
Telescopic drawer	✗	Other features	
Fridge door balconies	4	No Frost system	✓
Egg tray	✗	Defrost function	✗
Bottle rack	✓	Multi-airflow system	✓
Door bottle retainer	✗	Thermostat	✓
Door bottle balcony	✗	Interior light	✓
Can rack	✗	Feet adjustment type	Front
Can drawer	✗	Installation compartment dimensions (WxDxH)	1013 x 785 x 1840 mm
Fridge temperature range	1 - 7 °C	Control position	Internal
Anti-bacterial coating	✗	Built-in capability	✗
Anti-bacterial compartment	✗	Built-in freezer	✓
Blue light technology	✗	Door opening angle	120°
HarvestFresh technology	✗	LED indicators	Temperature, Wi-Fi
Anti-bacterial seal	✗	Reversible doors	✗
Fullfresh+ technology	✗	Dimensions (WxDxH)	913 x 735 x 1790 mm
Super Cool function	✗	Anti-bacterial function	✗
Fast Cooling function	✓	Dairy compartment	✗
Fridge number of compressors	1	Electronic control	✓
Multi-zone compartment	✗		
Internal metal backwall design (fridge)	✓		
Fridge interior light	✓		

Fridge		Other features	
Lamp type	LED	Humidity control	✗
Freezer		Total capacity	628 L
Freezer net capacity *	221 L	Overall height	179 cm
Freezer position *	Side-placed	Gross weight	151.7 kg
Freezing capacity *	12 kg/24h	Country of origin	China
Storage time during power failure *	2 h	Warranty period	2 year(s)
Star rating *	4*	Model year	2024
No Frost (freezer) *	✓	Operating temperature (T-T)	16 - 43 °C
Automatic defrost (freezer)	✓	Logistics data	
No Frost+ (freezer)	✗	Commodity code	8418102099
Freezer interior light	✓	Expanded Polystyrene (EPS) packaging weight	1.48 kg
Freezer number of shelves/baskets *	4	Metal packaging weight	23 g
Freezer drawers quantity	2	Paper packaging weight	7.89 kg
Freezer door balconies	2	Plastic packaging weight	346 g
Freezer temperature (min)	-23 °C	Wood packaging weight	0 g
Fast freeze function	✓	Quantity per pack	1 pc(s)
Multi-Airflow system (freezer)	✓	Products per pallet layer	1 pc(s)
SuperFrost function	✗	Products per pallet	1 pc(s)
Ice cube tray	✗	UK Trade Tariff code	8418102099
		Products per master (outer) case	1 pc(s)
		Master (outer) case gross weight	151.7 kg
		Master (outer) case length	770 mm
		Master (outer) case width	972 mm
		Master (outer) case height	1891 mm
		Harmonized System (HS) code	84181020



8806096031452



8806096071922

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.