



ATEN CS1844-AT-G KVM переключатель Черный

Производитель : ATEN

Код товара: CS1844-AT-G

Модель : CS1844-AT-G



ATEN CS1844-AT-G. Тип порта клавиатуры: USB, Тип порта мыши: USB, Тип видео порта: HDMI. Тип HD: 4K Ultra HD, Максимальное разрешение: 4096 x 2160 пикселей, Ширина полосы частот видеосигнала: 60 Hz. Цвет товара: Черный, Материал корпуса: Металл. Источник питания: Постоянный ток, Входное напряжение: 12 V, Потребляемая мощность (в обычном режиме): 4,42 W. Ширина: 335 mm, Глубина: 160,5 mm, Высота: 44 mm



Порты и интерфейсы		Энергопитание	
Число компьютеров *	4	Источник питания	Постоянный ток
Тип порта клавиатуры *	USB	Входное напряжение	12 V
Тип порта мыши *	USB	Потребляемая мощность (в обычном режиме)	4,42 W
Тип видео порта *	HDMI		
Количество HDMI портов	8	Условия эксплуатации	
количество портов USB 3.2 Gen 1 (3.1 Gen 1) типа B	4	Диапазон температур при эксплуатации	0 - 40 °C
Консольные порты *	Наушники 3,5 мм, HDMI, USB A	Диапазон температур при хранении	-20 - 60 °C
Количество консольных портов USB	2	Диапазон относительной влажности при эксплуатации	0 - 80%
Концентратор USB	✓	Диапазон относительной влажности при хранении	0 - 80%
Количество USB 3.2 Gen 1 (3.1 Gen 1) Type-A портов хаба	2	Вес и размеры	
Тип USB коннектора	USB тип-A, USB тип B	Ширина	335 mm
Аудиосоединения	✓	Глубина	160,5 mm
Линейные выходы наушников	6	Высота	44 mm
Количество микрофонных входов	6	Вес	3,38 kg
Гнездо входа постоянного тока (DC)	✓	Данные об упаковке	
Производительность		Ширина упаковки	116 mm
Тип HD *	4K Ultra HD	Глубина упаковки	540 mm
Максимальное разрешение *	4096 x 2160 пикселей	Высота упаковки	233 mm
Ширина полосы частот видеосигнала	60 Hz	Масса брутто	4,35 kg
Период обзора	1,5,99 s	Содержимое упаковки	
Дизайн		Краткое руководство по установке	✓
Цвет товара *	Черный	Инструкция	✓
Материал корпуса	Металл	Логистические данные	
Светодиодные индикаторы	✓	Вес нетто картонного короба	10,1 kg
Нажимная кнопка	✓	Код гармонизированной системы описания (HS)	85176200
Горячие клавиши	✓	Ширина мастер-картона	375 mm
Экран		Длина мастер-картона	565 mm
Встроенный экран *	✗	Высота мастер-картона	258 mm

Логистические данные

Вес мастер-картона	13,8 kg
Количество в мастер-картоне	3 шт



4710469340048

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.