

iivama LH7565UHSB-B1 Signage Display Kiosk design 189.2 cm (74.5") LED Wi-Fi 800 cd/m² 4K Ultra HD Black Built-in processor Android 11 24/7

Brand : iivama

Product code: LH7565UHSB-B1

Product name : LH7565UHSB-B1

75" Vivid-Bright Display with 4K resolution and 800cd/m² panels for illuminating communication iivama LH7565UHSB-B1. Product design: Kiosk design. Display diagonal: 189.2 cm (74.5"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 800 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Android 11. Product colour: Black



Display		Power	
Panel type	IPS	Power consumption (standby) *	0.4 W
Display diagonal *	189.2 cm (74.5")	Power consumption (off)	0.3 W
Display technology *	LED	Energy efficiency class (SDR)	E
Display resolution *	3840 x 2160 pixels	Energy efficiency class (HDR)	Not available
Display brightness *	800 cd/m ²	Energy consumption (SDR) per 1000 hours	107 kWh
HD type *	4K Ultra HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50/60 Hz
Native aspect ratio	16:9	Energy efficiency scale	A to G
Response time	8 ms	Computer system	
Contrast ratio (typical)	1200:1	Computer system *	✓
Viewing angle, horizontal	178°	Built-in processor *	✓
Viewing angle, vertical	178°	Processor manufacturer	ARM
Display number of colours	1.07 billion colours	Processor family	ARM Cortex
Pixel pitch	0.429 x 0.429 mm	Processor architecture	ARM Cortex-A73
Active display area (W x H)	1650 x 928 mm	Processor cores	8
Display diagonal (metric)	189 cm	Internal memory	4 GB
Horizontal scan range	28 - 160 kHz	On-board graphics card model	ARM Mali-G52
Native refresh rate	60 Hz	Internal storage capacity	32 GB
Haze rate	1%	Operating system installed	Android 11
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Display width	1679.5 mm
HDMI version	2.0	Display depth	55 mm
DisplayPorts quantity *	1	Display height	958.5 mm
DisplayPort version	1.2	Display weight	29 kg
USB port *	✓	Width	1679.5 mm
USB ports quantity	2	Depth	55 mm
USB version	2.0	Height	958.5 mm
Ethernet LAN (RJ-45) ports	1	Weight	29 kg
Audio (L/R) in	1	Width (with stand)	1679.5 mm
RS-232 interface	✓	Depth (with stand)	55 mm
RS-232C	✓	Height (with stand)	958.5 mm

Audio		Weight & dimensions	
Built-in speaker(s) *	✓	Weight (with stand)	29 kg
Number of built-in speakers	2	Packaging data	
RMS rated power	20 W	Package width	1883 mm
Design		Package depth	186 mm
Product design *	Kiosk design	Package height	1140 mm
Placement supported *	Indoor/outdoor	Package weight	40.5 kg
Orientation	Horizontal/Vertical	Packaging content	
Product colour *	Black	Remote control included	✓
VESA mounting *	✓	Cables included	AC, HDMI, RS-232
Panel mounting interface	600 x 400 mm	Operational conditions	
Bezel width (bottom)	1.49 cm	Operating temperature (T-T)	0 - 40 °C
Bezel width (side)	1.49 cm	Operating relative humidity (H-H)	-20 - 60%
Bezel width (top)	1.49 cm	Storage temperature (T-T)	-20 - 60 °C
Bezel colour	Black	Network	
Performance		Ethernet LAN *	✓
Purpose *	Commercial	Wi-Fi *	✓
On Screen Display (OSD)	✓	Wi-Fi standards	Wi-Fi 5 (802.11ac)
Number of OSD languages	8	Technical details	
On Screen Display (OSD) languages	Traditional Chinese, Czech, Danish, German, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Dutch, Polish, Russian, Swedish	Playback media	✓
Operating hours (hours/days)	24/7	picture (brightness, contrast, sharpness, black level, tint, colour, noise reduction, gamma selection, low blue light, colour temperature, colour control, picture reset), screen (zoom mode, custom zoom, screen reset), audio (balance, treble, bass, volume, audio out, maximum volume, minimum volume, mute, audio reset, audio out sync, speaker setting), configuration 1 (Android launcher, switch on state, panel saving, RS232-routing, boot on source, WOL, configuration 1 reset, factory reset), configuration 2 (OSD timeout, OSD H-Position, OSD V-position, system rotation, information OSD, logo and animation, logo setting, animation setting, monitor ID, monitor information, HDMI version, configuration 2 reset), advanced option (no signal image, IR control, power LED light, off timer, schedule, HDMI with one wire, HDMI with one wire power off, FailOver, language, OSD transparency, power saving, auto power off, advanced option reset)	
HDCP	✓		
HDCP version	2.2		
Mean time between failures (MTBF)	50000 h		
Power			
Power consumption (typical) *	107 W	User controls	
		Sustainability certificates	ErP
		Compliance certificates	CE, REACH, RoHS, TÜV mark, UKCA, WEEE
		Other features	
		Quick start guide	✓
		Power supply type	Internal



4948570123599

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.