




Aerocool P500A-WT Midi Tower Balts

Zīmols : Aerocool

Preces kods: ACCM-PN08143.21

Modeļa nosaukums : P500A-WT

Aerocool P500A-WT. Formas faktors: Midi Tower, Tips: PC (dators), Produkta krāsa: Balts. Strāvas piegādes vieta: Apakša, iespējamie barošanas piegādes tipu faktori: ATX. Sānu ventilatori uzmontēti: 3x 120 mm, Atbalstītie sānu ventilatoru izmēri: 120 mm, Instalētie aizmugures ventilatori: 1x 120 mm. Atbalstāmie cietā diska izmēri: 2.5,3.5". Platums: 235 mm, Dziļums: 460 mm, Augstums: 480 mm



Dizains		Dzesēšana	
Materiāls	SPCC, Rūditā stikla	Sānu ventilatori uzmontēti	3x 120 mm
Formas faktors *	Midi Tower	Maksimālais sānu ventilatoru skaits	3
Tips *	PC (dators)	Atbalstītie sānu ventilatoru izmēri	120 mm
Produkta krāsa *	Balts	Instalētie aizmugures ventilatori	1x 120 mm
Atbalstāmie mātesplates formas faktori *	ATX, mikro ATX, Mini-ITX	Maksimālais aizmugures ventilatoru skaits	1
3.5 " nodalījumu skaits *	1	Atbalstītie aizmugures ventilatoru izmēri	120,140 mm
2,5" izmēra laidumu skaits	3	Maksimālais augšējo ventilatoru skaits	3
Iekšējo 3,5" laidumu skaits	1	Atbalstītie augšējo ventilatoru izmēri	120,140 mm
Paplašināšanas slotu skaits	7	Maksimālie apakšējie ventilatori	2
Piemērots	Speļu	Apakšējo ventilatoru izmēri atbalstīti	120 mm
Illuminācija	✓	Šķidrums atvēršanas spēja	✓
Gaismas krāsa	Multi	Atbalstītie augšējā radiatora izmēri	120,140,240,280,360 mm
Gaismas novietojums	Korpora ventilatori	Pulsa platuma modulācijas (PWM) atbalsts	✓
Rūdīta stikla panelis(-ļi)	✓	Datu uzglabāšanas līdzekļi	
Filtrs pret putekļiem	✓	Atbalstāmie cietā diska izmēri *	2.5,3.5"
Uzlabota kabeļu pārvaldība	✓	HDD / SSD kombinētais nodalījums	✓
Atiestates poga	✓	Svars&dimensijas	
Ieslēgšanas/izslēgšanas poga	✓	Platums	235 mm
Maksimālais CPU vēsinātāja augstums	18 cm	Dziļums	460 mm
Maksimālais grafiskās kartes garums	42 cm	Augstums	480 mm
Enerģijas padeve		Materiāla biezums	0,5 mm
Strāvas barošana iekļauta *	✗	Papildus informācija	
Strāvas piegādes vieta	Apakša	Skaļums	49 L
Iespējamie barošanas piegādes tipu faktori	ATX		

Savienojamība

USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits *	2
Kopējā pieslēgvietu austiņām/mikrofonam	✓
USB 3.2 Gen 2x2 C tipa portu skaits *	1



4711530964088

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.