



## FSP CANNON PRO(ATX3.1) 2500W barošanas avotu vienība 20+4 pin ATX ATX Melns

**Zīmols :** FSP

**Preces kods:** PPA25A0102

**Modeļa nosaukums :** CANNON PRO(ATX3.1) 2500W

FSP CANNON PRO(ATX3.1) 2500W. Kopējā jauda: 2500 W, Maiņstrāvas ievades spriegums: 200 - 240 V, Maiņstrāvas ievades frekvence: 50/60 Hz. Mātesplates strāvas konektors: 20+4 pin ATX, SATA strāvas kabeļa garums: 965 mm, Periferālā (Molex) strāvas kabeļa garums: 965 mm. Mērķis, rezultāts: PC (dators), Strāvas padeves bloka (PSU) formas faktors: ATX, 80 PLUS sertifikācija: 80 PLUS Platinum. Produkta krāsa: Melns, Ventilatora diametrs: 13,5 cm, Ventilatoru skaits: 1 ventilators/ ventilatori. Platums: 150 mm, Dziļums: 200 mm, Augstums: 86 mm



### Enerģijas pārvaldība

|                                       |                                                                                                                                           |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Kopējā jauda *                        | 2500 W                                                                                                                                    |
| Maiņstrāvas ievades spriegums *       | 200 - 240 V                                                                                                                               |
| Maiņstrāvas ievades frekvence         | 50/60 Hz                                                                                                                                  |
| Ieejas strāva                         | 15 - 12 A                                                                                                                                 |
| Jaudas koeficients                    | 0,9                                                                                                                                       |
| Strāvas faktora korekcija (PFC) veids | Aktīvs                                                                                                                                    |
| Kopējā strāva (+3,3V)                 | 125 W                                                                                                                                     |
| Kopējā strāva (+12V)                  | 2499,6 W                                                                                                                                  |
| Kopējā strāva (+5V)                   | 125 W                                                                                                                                     |
| Kopējā strāva (-12V)                  | 3,6 W                                                                                                                                     |
| Kopējā strāva (+5Vsb)                 | 20 W                                                                                                                                      |
| Maksimālā izvades strāva (+3.3V)      | 25 A                                                                                                                                      |
| Maksimālā izvades strāva (+12V)       | 208,3 A                                                                                                                                   |
| Maksimālā izvades strāva (+5V)        | 25 A                                                                                                                                      |
| Maksimālā izvades strāva (-12V)       | 0,3 A                                                                                                                                     |
| Maksimālā izvades strāva (+5Vsb)      | 4 A                                                                                                                                       |
| Efektivitāte                          | 94%                                                                                                                                       |
| Jaudas aizsardzības apraksts          | Darbs bez slodzes, Pārstrāva, Pārslodze, Pārspriegums, Īssavienojums, Pārspriegums un strāvas izsitieni, Zema temperatūra, Zema sprieguma |

### Savienojamība

|                                 |              |
|---------------------------------|--------------|
| Mātesplates strāvas konektors * | 20+4 pin ATX |
| SATA strāvas savienotāju skaits | 8            |

### Savienojamība

|                                                 |                         |
|-------------------------------------------------|-------------------------|
| SATA strāvas kabeļa garums                      | 965 mm                  |
| SATA barošanas kabeļu skaits                    | 2                       |
| Perifērās (Molex) strāvas savienotāji (4-pin) * | 4                       |
| Periferālā (Molex) strāvas kabeļa garums        | 965 mm                  |
| PCI Express strāvas konektors (6+2 tapu)        | 3                       |
| PCI Express strāvas konektori (8-pin)           | 8                       |
| CPU barošanas savienotājs (4 + 4 pin)           | ✓                       |
| ATX barošanas savienotājs (20 + 4 pin)          | ✓                       |
| Kabeļu tips                                     | Pilnībā modulāra uzbūve |

### Darbības rādītāji

|                                              |                  |
|----------------------------------------------|------------------|
| 80 PLUS sertifikācija *                      | 80 PLUS Platinum |
| Mērķis, rezultāts *                          | PC (dators)      |
| Strāvas padeves bloka (PSU) formas faktors * | ATX              |
| ATX versija                                  | 3.1              |
| Dzesētāja ass tips                           | FDB              |

### Dizains

|                          |                            |
|--------------------------|----------------------------|
| Produkta krāsa           | Melns                      |
| Ventilatora diametrs     | 13,5 cm                    |
| Ventilatoru skaits       | 1 ventilators/ ventilatori |
| Ventilatora novietojums  | Galvas                     |
| Integrēts on/off slēdzis | ✓                          |

### Svars&dimensijas

|         |        |
|---------|--------|
| Platums | 150 mm |
| Dziļums | 200 mm |

#### Svars&dimensijas

Augstums

86 mm



4711498480286



4711498480446

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.