


NETGEAR WAX610 1800 Мбит/с Белый Питание по Ethernet (PoE)

Производитель : NETGEAR

Код товара: WAX610-100EUS

Модель : WAX610

NETGEAR WAX610. 2,4 ГГц, 5 ГГц, Максимальная скорость передачи данных: 1800 Мбит/с. Алгоритмы шифрования данных: EAP-PEAP, EAP-TLS, EAP-TTLS, PEAP, SSH, SSL/TLS, WPA, WPA2, WPA2-Enterprise, WPA3. Скорость передачи данных Ethernet LAN: 10,100,1000,2500 Мбит/с. Питание по Ethernet (PoE). Цвет товара: Белый



Свойства		Порты и интерфейсы	
2,4 ГГц *	✓	Гнездо входа постоянного тока (DC)	✓
5 ГГц *	✓	Энергопитание	
Максимальная скорость передачи данных *	1800 Мбит/с	Питание по Ethernet (PoE) *	✓
Максимальная скорость передачи данных (2,4 ГГц)	600 Мбит/с	Входящее напряжение сети	12 V
Максимальная скорость передачи данных (5 ГГц)	1200 Мбит/с	Ток на входе	2.5 A
Скорость передачи данных Ethernet LAN	10,100,1000,2500 Мбит/с	Дизайн	
Стандарты сети	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11i, IEEE 802.11n, IEEE 802.1x, IEEE 802.3af, IEEE 802.3at	Размещение *	Потолок, Стена
		Цвет товара *	Белый
		Кнопка сброса установок	✓
Число пользователей	250 пользов.	Светодиодные индикаторы	ЛВС, Напряжение, Статус
Авто MDI/MDI-X	✓	Антенна	
MIMO	✓	Тип антенны *	Внутренний
Тип MIMO	Multi User MIMO	Коэффициент усиления антенны (макс)	4,5 dBi
Методы расширения спектра	OFDM, OFDMA	Вес и размеры	
Беспроводные мультимедийные расширения	✓	Ширина	160,9 mm
Поддержка VLAN	✓	Глубина	160,9 mm
Безопасность		Высота	33,2 mm
Алгоритмы шифрования данных *	EAP-PEAP, EAP-TLS, EAP-TTLS, PEAP, SSH, SSL/TLS, WPA, WPA2, WPA2-Enterprise, WPA3	Вес	412 g
Фильтрация MAC-адресов	✓	Данные об упаковке	
Характеристики идентификатора SSID	Multiple SSIDs, Широковещание SSID, Широковещание SSID вкл/выкл	Ширина упаковки	220 mm
		Глубина упаковки	455 mm
		Высота упаковки	235 mm
		Масса брутто	3,98 kg

Безопасность		Содержимое упаковки	
Количество поддерживаемых SSID	8	Количество в упаковке	1 шт
Технология автоматического расширения беспроводной сети	✓	Монтажный комплект	✓
Служба удаленного подключения по телефонной линии (RADIUS)	✓	Условия эксплуатации	
Порты и интерфейсы		Диапазон температур при эксплуатации	0 - 40 °C
		Логистические данные	
Количество портов Ethernet LAN (RJ-45) *	1	Код гармонизированной системы описания (HS)	85176990



0606449149227



606449149227



(01)10606449149224



0606449148299



606449148299

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.