

## TP-Link TL-SG1210MPE tīkla pārslēgs Vadīts L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Melns

**Zīmols :** TP-Link

**Preces kods:** TL-SG1210MPE

**Modeļa nosaukums :** TL-SG1210MPE



TP-Link TL-SG1210MPE. Slēdža tips: Vadīts, Slēdža līmenis: L2. Basic switching RJ-45 Ethernet portu veids: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet portu daudzums: 9. Adrešu tabulas izmērs: 4000 ieraksti, Komutācijas ietilpība: 20 Gbit/s. Tīkla standarts: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE.... DC ievades spriegums: 53.5 V. Saspraudnis: DC-ligzda. Power over Ethernet (PoE)



| Vadības īpašības                                |                                                                                                                        | Energijas pārvaldība                            |             |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|-------------|
| Slēdža tips *                                   | Vadīts                                                                                                                 | Strāvas barošana iekļauta *                     | ✓           |
| Slēdža līmenis                                  | L2                                                                                                                     | DC ievades spriegums                            | 53.5 V      |
| Quality of Service (QoS) atbalsts               | ✓                                                                                                                      | Ieejas strāva                                   | 2.43 A      |
| Savienojamība                                   |                                                                                                                        | Power over Ethernet (PoE)                       |             |
| Basic switching RJ-45 Ethernet portu daudzums * | 9                                                                                                                      | Power over Ethernet (PoE) *                     | ✓           |
| Basic switching RJ-45 Ethernet portu veids *    | Gigabit Ethernet (10/100/1000)                                                                                         | Power over Ethernet (PoE+) pieslēgvietu skaits  | 8           |
| Šķiedras kanāla pieslēgvietu skaits             | 1                                                                                                                      | Power over Ethernet (PoE) jauda uz pieslēgvietu | 30 W        |
| Optiskās šķiedras konektors                     | SFP                                                                                                                    | Ārējās vides apstākļi                           |             |
| Saspraudnis                                     | DC-ligzda                                                                                                              | Darbības temperatūras amplitūda (T-T)           | 0 - 40 °C   |
| Tīklošana                                       |                                                                                                                        | Uzglabāšanas temperatūras amplitūda (T-T)       | -40 - 70 °C |
| Tīkla standarts *                               | IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z | Darbības relatīvā mitruma amplitūda             | 10 - 90%    |
| 10G atbalsts *                                  | ✗                                                                                                                      | Uzglabāšanas relatīvā mitruma amplitūda         | 5 - 95%     |
| Pieslēgvietas atspoguļošana                     | ✓                                                                                                                      | Svars & dimensijas                              |             |
| Apraides vērtības kontrole                      | ✓                                                                                                                      | Platums                                         | 209 mm      |
| Ātruma limitēšana                               | ✓                                                                                                                      | Dziļums                                         | 126 mm      |
| Datu pārraide                                   |                                                                                                                        | Augstums                                        | 26 mm       |
| Komutācijas ietilpība *                         | 20 Gbit/s                                                                                                              | Iepakojuma saturs                               |             |
| Pakešu apstrādes jauda                          | 14,88 miljoni pakešu sekundē                                                                                           | Manuāls                                         | ✓           |
| Adrešu tabulas izmērs *                         | 4000 ieraksti                                                                                                          | Informācija par iepakojumu                      |             |
| Uzglabāt un pārsūtīt                            | ✓                                                                                                                      | Iepakojuma platums                              | 240 mm      |
| Jumbo Frames atbalsts                           | ✓                                                                                                                      | Iepakojuma dziļums                              | 315 mm      |
| Jumbo rāmji                                     | 16000                                                                                                                  | Iepakojuma augstums                             | 70 mm       |


| Drošība          |       | Informācija par iepakojumu      |          |
|------------------|-------|---------------------------------|----------|
| IGMP ieviešana   | ✓     | Iepakojuma svars                | 1,58 kg  |
| Loop aizsardzība | ✓     | Logistikie dati                 |          |
| Dizains          |       | Harmonizētās sistēmas (HS) kods | 85176990 |
| Statņa montāža * | ✗     |                                 |          |
| Produkta krāsa   | Melns |                                 |          |
| LED indikatori   | ✓     |                                 |          |



6935364052676



6935364052669




0845973099565



845973099565




5715063515884



0840460604123



840460604123



1210002617048

## Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.