

Epson LX-350

Brand : Epson

Product code: C11CC24031

Product name : LX-350

- High reliability: MTBF of 10,000 operating hours
 - Power-efficient: 1.1W on standby, 27W powered on
 - Economical: Ribbon yield of 4m characters
 - Easy integration: Parallel, Serial and USB interfaces
 - Compact design: Fits neatly onto desks
- LX-350

Epson LX-350:

The highly reliable Epson LX-350 has a mean time between failure of 10,000 operating hours, and is ideal for front and back office applications needing continuous paper or multi-part stationery.

A very economical printer to run, the LX-350 helps save money with its high ribbon yield of 4 million characters and its low power consumption. Using just 1.1W in sleep mode and 27W when powered on, the LX-350 is qualified by ENERGY STAR for its excellent energy efficiency.

Easy to integrate, the LX-350 has Parallel, Serial and USB interfaces as standard, and will fit neatly onto desks thanks to its compact design and cable management system.



Printing		System requirements	
Maximum resolution *	240 x 144 DPI	Windows operating systems supported	Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP
Maximum printing width (columns) *	80	Bundled software	Epson Status Monitor
Colour *	✗	Weight & dimensions	
Maximum print speed *	357 cps	Width	348 mm
Maximum print speed (draft)	312 cps	Depth	275 mm
Maximum print speed (LQ)	78 cps	Height	154 mm
Character pitch	10,12 cpi	Weight	4.1 kg
Maximum number of copies	4 copies	Packaging data	
Built-in barcodes	Code 128 (A/B/C), Code 39, EAN13, EAN8, Interleaved 2/5, POSTNET, UPC-A, UPC-E	Quantity per pack	1 pc(s)
Print speed	HighSpeed-Draft: 10 cpi: 347 chars/s, 12 cpi: 357 chars/s, 15 cpi: 390 chars/s, Draft: 10 cpi: 260 chars/s, 12 cpi: 312 chars/s, NLQ: 10 cpi: 65 chars/s, 12 cpi: 78 chars/s	Package width	360 mm
		Package depth	425 mm
		Package height	220 mm
		Package weight	5.2 kg
Paper handling		Other features	
Maximum print size	A4 (210 x 297 mm)	Connectivity technology	Wired
Paper feed	Manual	Print technology	Dot matrix
Paper tray media types	Envelopes, Roll	Box contents	Driver and utilities, Main unit, Power cable, Ribbon, Setup guide, Software (CD), User manual (CD), Warranty document
Features		Needles	9 Needles
Buffer size *	128 KB	Compatible operating systems	Windows 2000, Windows 7, Windows 8, Windows Vista, Windows XP
Sound pressure level (printing) *	53 dB	Technical details	
Page description languages *	Epson ESC/P2	Number of pins	9
Country of origin	Indonesia	Sustainability certificates	ENERGY STAR
Ports & interfaces		Power consumption	27 Watt, 1.1 Watt (standby)
Standard interfaces *	Parallel, USB 2.0	Logistics data	
Endurance		Products per pallet	45 pc(s)
Print head *	9-pin		
Print direction	Bidirectional		
Print head life	400 million characters		

Endurance		Logistics data	
Ribbon life (black, draft)	4 million characters	Pallet gross length	120 cm
Mean time between failures (MTBF)	10000 h	Pallet gross width	80 cm
Power		Pallet gross height	2.08 m
Power consumption (typical)	27 W	Products per pallet layer	5 pc(s)
Power consumption (standby)	1.1 W	Products per pallet layer (UK)	6 pc(s)
Operational conditions		Products per pallet (UK)	54 pc(s)
Operating temperature (T-T)	5 - 35 °C	Pallet length (UK)	120 cm
Storage temperature (T-T)	5 - 35 °C	Pallet width (UK)	100 cm
Operating relative humidity (H-H)	10 - 80%	Pallet height (UK)	2.08 m
Storage relative humidity (H-H)	10 - 80%	Harmonized System (HS) code	84433210



8715946502939

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.