

CyberPower BR1000ELCD-FR nepārtrauktas barošanas avots (UPS) Line-Interactive 1 kilovoltampērs 600 W 8 Maiņstrāvas izvade (-s)

Zīmols : CyberPower

Preces kods: BR1000ELCD-FR

Modeļa nosaukums : BR1000ELCD-FR

CyberPower BR1000ELCD-FR. UPS topoloģija: Line-Interactive, Izejas jaudas kapacitāte (VA): 1 kilovoltampērs, Izejas jauda: 600 W. Maiņstrāvas izeju tipi: E tips, Izeju skaits: 8 Maiņstrāvas izvade (-s). Baterijas tehnoloģija: Noslēgts svina skābju (VRLA), Tipiskais dublējuma laiks pilnā ielādē: 1 min, Tipiskais dublējuma laiks pusielādē: 6 min. Formas faktors: Kompakts, Produkta krāsa: Melns, Apvalka materiāls: Plastmasa. Atbilstības sertifikāti: RoHS, Sertifikācija: CE



Īpašības		Baterija	
UPS topoloģija *	Line-Interactive	Baterijas tehnoloģija	Noslēgts svina skābju (VRLA)
Izejas jaudas kapacitāte (VA) *	1 kilovoltampērs	Tipiskais dublējuma laiks pilnā ielādē	1 min
Izejas jauda *	600 W	Tipiskais dublējuma laiks pusielādē	6 min
Viļņa forma *	Sinuss	Baterijas uzlādes laiks	8 h
Ievades darbības spriegums (min) *	165 V	Aukstais starts	✓
Ievades darbības spriegums (maks) *	290 V	Dizains	
Izejas frekvence *	50/60 Hz	Formas faktors *	Kompakts
Izejas frekvence	50/60 Hz	Apvalka materiāls	Plastmasa
Automātiskā sprieguma regulēšana (AVR)	✓	Kabeļa garums	1,5 m
Sprieguma plūdzlāde	125 J	Produkta krāsa *	Melns
Atbildes laiks	4 ms	Ekrāna veids	LCD
EMI/RFI trokšņu filtrācija	✓	LED indikatori	✓
Aizsardzība pret pārspriegumu	✓	Ārējās vides apstākļi	
Aizsardzības pret pārspriegumu īpašības	DSL līnija, Fakss, Modems, Tīkls, Tālrunis	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Jaudas aizsardzības apraksts	Pārslodze	Uzglabāšanas temperatūras amplitūda (T-T)	-20 - 50 °C
Skaņas signalizācija	✓	Darbības relatīvā mitruma amplitūda	0 - 90%
Skaņas signāla režīmi	Signāls, darbojoties ar baterijām, Defekts, Signāls, kas brīdina par zemu baterijas līmeni, Pārslodzes signāls	Uzglabāšanas relatīvā mitruma amplitūda	0 - 90%
Savienojamība		Ekspluatācijas augstums	0 - 3000 m
Maiņstrāvas izeju tipi	E tips	Ne-operacionālais augstums	0 - 3000 m
Izeju skaits	8 Maiņstrāvas izvade (-s)	Sertifikāti	
USB pieslēgvietā	✓	Atbilstības sertifikāti	RoHS
USB 2.0 pieslēgvietu skaits	1	Sertifikācija	CE
Modema (RJ-11) pieslēgvietas	2		

Savienojamība		Svars&dimensijas	
Ethernet LAN (RJ-45) pieslēgvietu skaits	2	Platums	166 mm
		Dziļums	288 mm
		Augstums	118 mm
		Svars	6,5 kg



4712856271249

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.