



FSP Champ Tower 3K nepārtrauktas barošanas avots (UPS) Divkāršā-konversija (tiešsaiste) 3 kilovoltampērs 2700 W

Zīmols : FSP

Preces kods: PPF24A1807


Modeļa nosaukums : Champ Tower 3K

FSP Champ Tower 3K. UPS topoloģija: Divkāršā-konversija (tiešsaiste), Izejas jaudas kapacitāte (VA): 3 kilovoltampērs, Izejas jauda: 2700 W. Maiņstrāvas izeju tipi: C13 uzmava, USB pieslēgvietas veids: USB Veids-B, Seriālā interfeisa tips: RS-232. Akumulatora ietilpība: 9 ampērstunda, Baterijas spriegums: 12 V, Tipiskais dublējuma laiks pilnā ielādē: 3,5 min. Formas faktors: Tower, Produkta krāsa: Melns, Kontroles tips: Pogas. Pievienoti kabeli: Strāvas ievades kabelis, USB kabelis




Īpašības		Baterija	
UPS topoloģija *	Divkāršā-konversija (tiešsaiste)	Baterijas spriegums	12 V
Izejas jaudas kapacitāte (VA) *	3 kilovoltampērs	Baterijas šūnu skaits	6
Izejas jauda *	2700 W	Tipiskais dublējuma laiks pilnā ielādē	3,5 min
Viļņa forma *	Sinuss	Tipiskais dublējuma laiks pusielādē	9,8 min
Ievades darbības spriegums (min) *	120 V	Baterijas uzlādes laiks (90%)	4 h
Ievades darbības spriegums (maks) *	300 V	Dizains	
Izejas frekvence *	40 - 70 Hz	Formas faktors *	Tower
Izejas darba jauda (min.)	200 V	Produkta krāsa *	Melns
Izejas darba jauda (maks.)	240 V	Kontroles tips	Pogas
Izejas frekvence	47/63 Hz	Ekrāna veids	LCD
Izejas sprieguma regulēšana	1%	LED indikatori	✓
Atbildes laiks	0 ms	Ārējās vides apstākļi	
Jaudas koeficients	0,99	Darbības temperatūras amplitūda (T-T)	0 - 40 °C
Maksimuma koeficients	3:1	Darbības relatīvā mitruma amplitūda	20 - 90%
THD (lineārā slodze)	3%	Iepakojuma saturs	
THD (nelineārā slodze)	6%	Baterijas pievienotas	✓
Trokšņu līmenis	50 dB	Pievienoti kabeli	Strāvas ievades kabelis, USB kabelis
Skaņas signalizācija	✓	Manuāls	✓
Skaņas signāla režīmi	Signāls, darbojoties ar baterijām, Defekts, Signāls, kas brīdina par zemu baterijas līmeni, Pārslodzes signāls	Svars&dimensijas	
Savienojamība		Platums	190 mm
Maiņstrāvas izeju tipi	C13 uzmava	Dziļums	421 mm
Izejas IEC tiltslēgi	4	Augstums	318 mm
USB pieslēgvietā	✓	Svars	27,6 kg
USB 2.0 pieslēgvietu skaits	1		
USB pieslēgvietas veids	USB Veids-B		

Savienojamība		Informācija par iepakojumu	
Sērijas saskarne	✓	Programmatūras CD	✓
Seriālā interfeisa tips	RS-232	Logistiskie dati	
RS-232 pieslēgvietā	1		
Baterija		Harmonizētās sistēmas (HS) kods	85078000
Akumulatora ietilpība	9 ampērstunda		



4711140487618



2000000852225

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.