

ASUS ROG Strix Helios II Midi Tower Balts

Zīmols : ASUS

Preces kods: 90DC00W3-B39000

Modeļa nosaukums : ROG Strix Helios II

ASUS ROG Strix Helios II. Formas faktors: Midi Tower, Tips: PC (dators), Produkta krāsa: Balts. Uzstādītie priekšējie ventilatori: 3x 140 mm, Atbalstītie priekšējo ventilatoru diametri: 120,140 mm, Instalētie aiz mugures ventilatori: 1x 140 mm. Atbalstāmie cietā diska izmēri: 2.5,3.5". Platums: 250 mm, Dziļums: 565 mm, Augstums: 591 mm



Dizains		Dzesēšana	
Materiāls	Alumīnijs, Rūdītā stikla	Uzstādītie priekšējie ventilatori	3x 140 mm
Formas faktors *	Midi Tower	Maksimālais priekšējo ventilatoru skaits	3
Tips *	PC (dators)	Atbalstītie priekšējo ventilatoru diametri	120,140 mm
Produkta krāsa *	Balts	Instalētie aiz mugures ventilatori	1x 140 mm
Atbalstāmie mātesplates formas faktori *	ATX, EATX, mikro ATX, Mini-ITX	Maksimālais aiz mugures ventilatoru skaits	1
3.5 " nodalījumu skaits *	2	Atbalstītie aiz mugures ventilatoru izmēri	120,140 mm
2,5" izmēra laidumu skaits	4	Maksimālais augšējo ventilatoru skaits	3
Iekšējo 3,5" laidumu skaits	2	Atbalstītie augšējo ventilatoru izmēri	120,140 mm
Paplašināšanas slotu skaits	8	Šķidrums atvēršanas spēja	✓
Sāna logs	✓	Atbalstītie priekšējā radiatora izmēri	120,140,240,280,360,420 mm
Piemērots	Speļu	Atbalstītie aiz mugures radiatora izmēri	120,140 mm
Iluminācija	✓	Atbalstītie augšējā radiatora izmēri	120,140,240,280,360 mm
Gaismas krāsa	Multi	Datu uzglabāšanas līdzekļi	
Gaismas novietojums	Priekšpusē	Atbalstāmie cietā diska izmēri *	2.5,3.5"
Rūdītā stikla panelis(-ļi)	✓	HDD / SSD kombinētais nodalījums	✓
Filtrs pret putekļiem	✓	Atbalstāmo cieto disku skaits	6
Uzlabota kabeļu pārvaldība	✓	Svars&dimensijas	
Atiestates poga	✓	Platums	250 mm
Ieslēgšanas/izslēgšanas poga	✓		
RGB vadības poga	✓		
Maksimālais CPU vēsinātāja augstums	19 cm		

Dizains		Svars&dimensijas	
Maksimālais grafiskās kartes garums	45 cm	Dziļums	565 mm
Maksimālais strāvas piegādes vienības garums	22 cm	Augstums	591 mm
		Svars	18 kg
Energijas padeve			
Strāvas barošana iekļauta *	✗		
Savienojamība			
Audio ieeja	✓		
Audio izeja	✓		
USB 3.2 Gen 1 (3.1 Gen 1) A tipa pieslēgvietu skaits *	4		
USB 3.2 Gen 2x2 C tipa portu skaits *	2		



4711636061247



0199291061248



199291061248

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.