

## Brother ADS-1800W scanner ADF scanner 600 x 600 DPI A4 White

**Brand :** Brother


**Product code:** ADS-1800W

**Product name :** ADS-1800W

Stay productive wherever you are working. Simply connect the scanner to a portable powerbank and work anywhere without any limitations to performance.

Brother ADS-1800W scanner ADF scanner 600 x 600 DPI A4 White:

Powerful yet compact and portable, scanning from any location just got easier with the ADS-1800W. Compatible with external powerbanks, effortlessly scan your documents when and where it is most convenient for you. Together with wireless connectivity, you can easily connect and scan using your mobile phone or tablet and enjoy seamless workflows with powerful PDF editing and document management software. Create up to 25 preset scan to destinations No PC connection required Mobile App support OCR and PDF editing software included Compatible with Barcode Utility Optional paper output tray available Supports Brother Mobile Connect app \*See datasheet for detailed technical information



| Scanning                          |                                                                                   | Ports & interfaces          |                                                                                                                                                  |
|-----------------------------------|-----------------------------------------------------------------------------------|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Maximum scan size *               | 215.9 x 355.6 mm                                                                  | USB port *                  | ✓                                                                                                                                                |
| Optical scanning resolution *     | 600 x 600 DPI                                                                     | USB connector type          | USB Type-C                                                                                                                                       |
| Enhanced scan resolution          | 1200 x 1200 DPI                                                                   | Network                     |                                                                                                                                                  |
| Colour scanning                   | ✓                                                                                 | Wi-Fi                       | ✓                                                                                                                                                |
| Duplex scanning *                 | ✓                                                                                 | Wi-Fi standards             | 802.11b, 802.11g, Wi-Fi 4 (802.11n)                                                                                                              |
| Greyscale levels                  | 256                                                                               | Security algorithms         | 64-bit WEP, 128-bit WEP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMPv3, SSH, SSL/TLS, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-TKIP, WPA3-PSK, WPA3-SAE |
| ADF scan speed (b/w, A4)          | 30 ppm                                                                            |                             |                                                                                                                                                  |
| Design                            |                                                                                   | IPv6 support                | ✓                                                                                                                                                |
| Scanner type *                    | ADF scanner                                                                       | Power                       |                                                                                                                                                  |
| Product colour *                  | White                                                                             | Power supply type *         | AC/USB                                                                                                                                           |
| Display                           | LCD                                                                               | Power consumption (typical) | 10 W                                                                                                                                             |
| Display diagonal                  | 7.11 cm (2.8")                                                                    | Power consumption (standby) | 2 W                                                                                                                                              |
| Touchscreen                       | ✓                                                                                 | Power consumption (off)     | 0.1 W                                                                                                                                            |
| Colour display                    | ✓                                                                                 | Weight & dimensions         |                                                                                                                                                  |
| Control type                      | Buttons, Touch                                                                    | Width                       | 288 mm                                                                                                                                           |
| Built-in display *                | ✓                                                                                 | Depth                       | 101 mm                                                                                                                                           |
| Performance                       |                                                                                   | Height                      | 85 mm                                                                                                                                            |
| Sensor type *                     | Dual CIS                                                                          | Weight                      | 1.42 kg                                                                                                                                          |
| Scan to                           | FTP, PC, SMB                                                                      | Packaging data              |                                                                                                                                                  |
| Scan drivers                      | SANE, TWAIN, WIA                                                                  | Package width               | 288 mm                                                                                                                                           |
| Scanning noise level              | 62 dB                                                                             | Package depth               | 211 mm                                                                                                                                           |
| Paper handling                    |                                                                                   | Package height              | 205 mm                                                                                                                                           |
| Scanning media types supported    | Business Card, Plain paper, Plastic Card, Recycled paper, Thick paper, Thin paper | Package weight              | 2.41 kg                                                                                                                                          |
| Maximum ISO A-series paper size * | A4                                                                                |                             |                                                                                                                                                  |
| ISO A-series sizes (A0...A9)      | A4                                                                                |                             |                                                                                                                                                  |


| Paper handling          |                 | Packaging content                   |                                                                      |
|-------------------------|-----------------|-------------------------------------|----------------------------------------------------------------------|
| Card thickness (max)    | 1.24 mm         | Cables included                     | USB                                                                  |
| Paper tray media weight | 51.8 - 128 g/m² | System requirements                 |                                                                      |
|                         |                 | Windows operating systems supported | Windows 10, Windows 11                                               |
|                         |                 | Mac operating systems supported     | Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Operational conditions  |                 |                                     |                                                                      |
|                         |                 | Operating temperature (T-T)         | 5 - 35 °C                                                            |




0012502674245




012502674245



4977766832304



4977766832281



4977766832298

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.