

Philips GC7840/20 stacija gludināšanai ar tvaiku 2400 W 1,5 L SteamGlide gludināšanas virsma Zils, Balts

Zīmols : Philips

Preces kods: GC7840/20

Modeļa nosaukums : GC7840/20


Philips GC7840/20. Dzelzs: 2400 W, Tvaika padeves darbības rādītāji: 400 g/min, Pazoļu plāksņu veids: SteamGlide gludināšanas virsma. Maiņstrāvas ievades spriegums: 220-240 V, Enerģijas taupīšana: 30%. Auklas garums: 1,8 m, Snipja garums: 1,6 m. Platums: 193 mm, Dziļums: 373 mm, Augstums: 223 mm. Jauda: 2400 W



Īpašības		Īpašības	
Dzelzs *	2400 W	Tvaiks pēc pieprasījuma - tehnoloģija	✓
Maksimālais tvaika spiediens *	6,5 bārs	Viedais vadības procesors	✓
Ūdens rezervuāra tilpums *	1,5 L	ProVelocity tvaika dzinējs	✓
Tvaika padeves funkcija	✓	Enerģijas pārvaldība	
Sildīšanas laiks	2 min	Maiņstrāvas ievades spriegums	220-240 V
Tvaika padeves darbības rādītāji *	400 g/min	Enerģijas taupīšana	30%
Pastāvīgs tvaiks	✓	Enerģiju glabājošs režīms	✓
Nepārtraukts tvaiks *	120 g/min	Ergonomika	
Vertikālā tvaika funkcija	✓	Auklas garums	1,8 m
Mainīgā enerģija	✓	Auklas uzglabāšana	✓
Pazoļu plāksņu veids *	SteamGlide gludināšanas virsma	Snipja garums	1,6 m
Produkta krāsa *	Zils, Balts	Šļūtenes glabāšana	✓
Automātika pretapkalpošanas sistēma *	✗	Šarnīsavienojuma aukla	✓
Pretapkalpošanas sistēma	✓	Iebūvēts barošanas spraudnis	✓
Kaļķa nosēdumu savācējs	✓	Izgaismojošie elementi	
Automātiskā izslēgšanās	✓	Indukcijas gaisma	✓
Tvaika uzgalis grūti aizsniedzamām vietām	✓	Svars&dimensijas	
Derīgs krāna ūdenim	✓	Platums	193 mm
Šarnīrsavienojuma leņķis	180°	Dziļums	373 mm
Kopējais pārstrādājamības līmenis	30%	Augstums	223 mm
Optimāla TEMP tehnoloģija	✓	Svars	2,95 kg
Uzpilde jebkurā laikā	✓	Gludekļa svars	1,2 kg
Droši der visiem audumiem	✓	Tehniskā informācija	
Atkalpošana un tīrīšana	✓	Nav nepieciešama temperatūras iestatīšana	✓
Aizslēgšana	✓	Bīstamas preces	✗
Gludekļa virsmas slidēšanas zvaigznišu apzīmējums	3	Papildus informācija	
Gludekļa virsmas skrāpējumu izturības zvaigznišu apzīmējums	4	Jauda	2400 W
Lietotāja rokasgrāmata pārstrādāts papīrs	✓	Garantijas periods	2 gads(i)

Informācija par iepakojumu

lepakojuma platums	230 mm
lepakojuma dziļums	393 mm
lepakojuma augstums	275 mm
lepakojuma svars	3,85 kg



8710103935841

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.